(19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 19 February 2004 (19.02.2004)

PCT

(10) International Publication Number WO 2004/014318 A2

(51) International Patent Classification⁷:

A61K

(21) International Application Number:

PCT/US2003/025170

(22) International Filing Date: 8 August 2003 (08.08.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

US
US

(71) Applicant (for all designated States except US): KING PHARMACEUTICALS, INC. [US/US]; 501 Fifth Street, Bristol, TN 37620 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): STRAUSS, Elaine, A. [US/US]; 9557 135th St. North, Seminole, FL 33776 (US). FRANZ, G., Andrew [US/US]; 2220 So. Warson Rd., St. Louis, MO 63124 (US). DIMENNA, Philip, A. [US/US]; 6773 32nd Avenue North, St. Petersburg, FL

33710 (US). GEMMA, Rocco, L. [US/US]; 4241 Dover-Zoar Road N.E., Dover, OH 44622 (US).

(74) Agents: BUTLER, Gregory, B. et al.; Edwards & Angell, LLP, P.O. Box 9169, Boston, MA 02209 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



(54) Title: LEVOTHYROXINE COMPOSITIONS AND METHODS

(57) Abstract: The present invention generally relates to stable pharmaceutical compositions, and methods of making and administering such compositions. In one aspect, the invention features stabilized pharmaceutical compositions that include pharmaceutically active ingredients such as levothyroxine (T4) sodium and liothyronine (T3) sodium (thyroid hormone drugs), preferably in an immediate release solid dosage form. Also provided are methods for making and using such immediate release and stabilized compositions. WO 2004/014318 PCT/US2003/025170

LEVOTHYROXINE COMPOSITIONS AND METHODS

U.S. Patent Application

This application for U.S. patent is filed as an utility application under U.S.C., Title 35, §111(a).

Field of the Invention

The invention generally relates to stable pharmaceutical compositions, and methods of making and administering such compositions. In one aspect, the invention features stabilized pharmaceutical compositions that include pharmaceutically active ingredients such as levothyroxine (T4) sodium and liothyronine (T3) sodium (thyroid hormone drugs), preferably in an immediate release solid dosage form. Also provided are methods for making and using such immediate release and stabilized compositions.

Background

Thyroid hormone preparations of levothyroxine sodium and liothyronine sodium are pharmaceutical preparations useful to the treatment of hypothyroidism and thyroid hormone replacement therapy in mammals, for example, humans and dogs.

Thyroid hormone preparations are used to treat reduced or absent thyroid function of any etiology, including human or animal ailments such as myxedema, cretinism and obesity.

Hypothyroidism is a common condition. It has been reported in the United States Federal Register that Hypothyroidism has a prevalence of 0.5 percent to 1.3 percent in adults. In people over 60, the prevalence of primary hypothyroidism increases to 2.7 percent in men and 7.1 percent in women. Because congenital hypothyroidism may result in irreversible mental retardation, which can be avoided with early diagnosis and treatment, newborn screening for this disorder is mandatory in North America. Europe, and Japan.

Thyroid hormone replacement therapy can be a chronic, lifetime endeavor. The dosage is established for each patient Individually. Generally, the initial dose is small. The amount is increased gradually until clinical evaluation and laboratory tests indicate that an optimal response has been achieved. The dose required to maintain this response is then continued. The age and general physical condition of the patient and the severity and duration of hypothyroid symptoms determine the initial dosage and the rate at which the dosage may

be increased to the eventual maintenance level. It has been reported that the dosage increase should be very gradual in patients with myxedema or cardiovascular disease to prevent precipitation of angina, myocardial infarction, or stroke.

It is important that thyroid hormone treatment have the correct dosage. Both under-treatment and over-treatment can have deleterious health impacts. In the case of under-treatment, a sub-optimal response and hypothyroidism could result. Under-treatment has also been reported to be a potential factor in decreased cardiac contractility and increased risk of coronary artery disease. Conversely, over-treatment may result in toxic manifestations of hyperthyroidism such as cardiac pain, palpitations, or cardiac arrhythmia's. In patients with coronary heart disease, even a small increase in the dose of levothyroxine sodium may be hazardous in a particular.

Hyperthyroidism is a known risk factor for osteoporosis. Several studies suggest that sub clinical hyperthyroidism in premenopausal women receiving thyroid hormone drugs for replacement or suppressive therapy is associated with bone loss. To minimize the risk of osteoporosis, it is preferable that the dose be kept to the lowest effective dose.

Because of the risks associated with over-treatment or under-treatment with levothyroxine sodium, there is a need for thyroid hormone products that are consistent in potency and bioavailability. Such consistency is best accomplished by manufacturing techniques that maintain consistent amounts of the active moiety during tablet manufacture.

Thyroid hormone drugs are natural or synthetic preparations containing tetraiodothyronine (T 4, levothyroxine) or triiodothyronine (T 3, liothyronine) or both, usually as their pharmaceutically acceptable (e.g. sodium) salts. T 4 and T 3 are produced in the human thyroid gland by the iodination and coupling of the amino acid tyrosine. T 4 contains four iodine atoms and is formed by the coupling of two molecules of diiodotyrosine (DIT). T 3 contains three atoms of iodine and is formed by the coupling of one molecule of DIT with one molecule of monoiodotyrosine (MIT). Both hormones are stored in the thyroid colloid as thyroglobulin. Thyroid hormone preparations belong to two categories: (1) natural hormonal preparations derived from animal thyroid, and (2) synthetic preparations. Natural preparations include desiccated thyroid and thyroglobulin.

Desiccated thyroid is derived from domesticated animals that are used for food by man (either beef or hog thyroid), and thyroglobulin is derived from thyroid glands of the hog. The United States Pharmacopoeia (USP) has standardized the total iodine content of natural preparations. Thyroid USP contains not less than (NLT) 0.17 percent and not more than (NMT) 0.23 percent iodine, and thyroglobulin contains not less than (NLT) 0.7 percent of

organically bound iodine. Iodine content is only an indirect indicator of true hormonal biologic activity.

Synthetic forms for both T₄ and T₃ thyroid hormone are available from a number of producers. For example, liothyronine sodium (T₃) tablets are available under the trademark Cytomel[®] from King Pharmaceuticals, Inc., St. Louis, Missouri. Levothyroxine sodium (T₄) is available under the tradename Levoxyl[®] from King Pharmaceuticals, Inc., under the tradename Synthroid[®] from Knoll Pharmaceutical, Mt. Olive, New Jersey, and under the tradename Unithroid[®] from Jerome Stevens Pharmaceuticals, Bohemia, New York. In addition a veterinarian preparation of levothyroxine sodium is available under the tradename Soloxine[®] from King Pharmaceuticals, Inc.

Levoxyl[®] (levothyroxine sodium tablets,USP) contain synthetic crystalline L-3,3',5,5 '-tetraiodothyronine sodium salt [levothyroxine (T_4) sodium]. As indicated above, the synthetic T_4 in Levoxyl[®] is identical to that produced in the human thyroid gland. The levothyroxine (T_4) sodium in Levoxyl[®] has an empirical formula of $C_{15}H_{10}$ I_4 N NaO₄ • H_2O , molecular weight of 798.86 g/mol (anhydrous), and a structural formula as shown:

$$HO - \langle \bigcirc \rangle - O - \langle \bigcirc \rangle - CH_2 - C - COONa^{+} \times H_2O$$

It is well known that the stability of thyroid hormone drugs is quite poor. They are hygroscopic and degrade in the presence of moisture or light, and under conditions of high temperature. The instability is especially notable in the presence of pharmaceutical excipients. such as carbohydrates, including lactose, sucrose, dextrose and starch, as well as certain dyes. The critical nature of the dosage requirements, and the lack of stability of the active ingredients in the popular pharmaceutical formulations, have led to a crisis which has adversely effected the most prescribed thyroid drug products. See, e.g., 62 Fed. Reg. 43535 (Aug. 14, 1997).

It is desirable, therefore, to prepare a stabilized dosage of levothyroxine and liothyronine, which will have a longer shelf life that can be used in the treatment of human or animal thyroid hormone deficiency. U.S. Patent No. 5,22 5,204 (the '204 patent) is directed to improving the stability of levothyroxine sodium. In one embodiment disclosed by '204,

stabilized levothyroxine sodium was prepared in a dry state by mixing levothyroxine sodium with a cellulose tableting agent using geometric dilution and subsequently combining this mixture with the same or a second cellulose tableting agent, such as microcrystalline cellulose. Other tableting aids or excipients can be used in this formulation. This '204 patent is incorporated by reference herein, in its entirety.

The microcrystalline cellulose disclosed In '204 is AVICEL $101^{\$}$, AVICEL $102^{\$}$, AVICEL $103^{\$}$, AVICEL $105^{\$}$, trademarks of FMC Company of Newark, DE., and Microcrystalline Cellulose NF, or EMCOCEL $^{\$}$, a trademark owned by Penwest Pharmaceuticals of Patterson, NY. These microcrystalline cellulose products are prepared by re-slurrylng the cellulose and spray drying the product. This produces an α - helix spherical microcrystalline cellulose product.

U. S. Patents 5,955,105 and 6,056,975 (the continuation of '105) disclose pharmaceutical preparations of levothyroxine and microcrystalline cellulose, along with other excipients. The microcrystalline cellulose products used in the '105 and '975 patents were also the α - form Avicel microcrystalline cellulose products. U. S. Patents 5,955,105 and 6,056,975 are incorporated by reference herein, in their entirety.

Another microcrystalline cellulose product is a β - sheet form microcrystalline cellulose having a flat needle shape, marketed under the trademark CEOLUS KG801[®] by FMC Company of Newark, Delaware. The Ceolus[®] product has different morphology, and different performance characteristics, than those of the Avicel product. The β - sheet microcrystalline cellulose of the present invention is disclosed in U.S. Patent 5,574,150, which is hereby incorporated by reference. Further disclosure relating to β - sheet microcrystalline cellulose is found in *International Journal of Pharmaceutics* 182 (199) 155 which is hereby incorporated by reference.

The Ceolus® product (ß - sheet microcrystalline cellulose) is disclosed by FMC, in its product bulletin dated October 1997, as being suitable for "smaller size tablets" and "exceptional drug carrying capacity." The Ceolus® product was said to provide superior compressibility and drug loading capacity, that still exhibited effective flowability. The examples given in the Ceolus® bulletin were of vitamin C combined with Ceolus® microcrystalline cellulose at levels of from 30 to 45 weight % Ceolus® product in the form of a tablet.

However, there have been problems using the Ceolus[®] product. For example, at higher levels of Ceolus[®] product concentration, flow problems were encountered in the

process of compressing tablets, and the Ceolus® product was considered unsuitable for compression at higher concentrations than about 45 weight %.

The is a definite need for solid levothyroxine (T4) and/or liothyronine (T3) (thyroid hormone drugs) pharmaceutical compositions, preferably in an immediate release solid dosage form, with the T4 and T3 in the form of their sodium salts that are relatively stable. There is also a need for methods for making such immediate release and stabilized solid levothyroxine (T4) and/or liothyronine (T3) (thyroid hormone drugs) pharmaceutical compositions.

Summary of the Invention

The present invention overcomes and alleviates the above-mentioned drawbacks and disadvantages in the thyroid drug art through the discovery of novel oral levothyroxine (T4) and/or liothyronine (T3) (thyroid hormone drugs) pharmaceutical compositions and methods.

Generally speaking, the present invention relates to stabilized solid as levothyroxine (T4) sodium and/or liothyronine (T3) sodium (thyroid hormone drugs) pharmaceutical compositions and in particular, immediate release, stabilized pharmaceutical compositions that include pharmaceutically active ingredients such as levothyroxine (T4) sodium and/or liothyronine (T3) sodium (thyroid hormone drugs). Preferably but not necessarily, the novel pharmaceutical compositions are provided in a solid dosage form, such as a tablet.

The pharmaceutical compositions of the present invention are useful for, among other things, as replacement or supplemental therapy in hypothyroidism of any etiology, except transient hypothyroidism during the recovery phase of subacute thyroiditis, suppression of pituitary TSH secretion in the treatment or prevention of various types of euthyroid goiters, including thyroid nodules, Hashimoto's thyroiditis, multinodular goiter and, as adjunctive therapy in the management of thyrotropin-dependent well-differentiated thyroid cancer in warm-blooded animals, especially humans including pediatrics.

The present invention also provides methods for making such immediate release and stabilized levothyroxine (T4) sodium and/or liothyronine (T3) sodium (thyroid hormone drugs) pharmaceutical compositions.

Also in accordance with the present invention, because of the extraordinary release characteristics of the preferred compositions, a method of administration to children and patients who have difficulty taking pills, wherein the solid composition having the appropriate dosage is simply put in an aqueous fluid, e.g., juice, where it dissolves in a matter

of 1-3 minutes, and the patient can then ingest the fluid, and receive the appropriate dosage, is now made practical.

The present invention has a wide range of important uses including providing pharmaceutically active levothyroxine compositions with enhanced bioavailability, improved shelf life, and more reliable potency.

We have discovered immediate release pharmaceutical compositions that include as pharmaceutically active ingredients at least one of levothyroxine and liothyronine, preferably at least one levothyroxine salt, as the major active ingredient. Such preferred immediate release compositions desirably provide at least about 85% (w/v) dissolution of the levothyroxine salt in less than about 20 minutes as determined by standard assays disclosed herein. Surprisingly, it has been found that by combining the pharmaceutically active ingredients with specific additives in accordance with the invention, it is possible to formulate the compositions so that the ingredients are released almost immediately after ingestion or contact with an aqueous solution, e.g., in a matter of minutes. Preferred invention compositions are stable and provide better shelf life and potency characteristics than prior pharmaceutical compositions.

The immediate release pharmaceutical compositions of the invention provide important uses and advantages. A major advantage is the stability of the active ingredients in the composition. For example, while, as indicated above, prior formulations with sugars, starches, and various types of celluloses, including micro-cellular celluloses such as the Avicel products, have experienced substantial degradation of the active ingredients, e.g. T4 sodium. To deal with this problem, pharmaceutical manufacturers have over-formulated the T4-containing pharmaceutical compositions containing such active ingredients, so that the patient can obtain at least the prescribed dosage despite the carbohydrate-induced instability of the active ingredient. However, the patient who obtains the pharmaceutical immediately after it is made, receives an over-dosage of the active compound; whereas, the patient who has received the pharmaceutical after it has sat on the pharmacy shelf for an extended period, will receive an under-dosage of the active ingredient. In either case, the patient receives the wrong dosage, with possible serious consequences.

In sharp contrast, it has been surprisingly found that the use of the \(\beta \)-sheet microcrystalline cellulose in the compositions of the present invention substantially increase the stability of the thyroid hormone drugs, so that the patient obtains consistent potency over an extended shelf life, compared to prior thyroid hormone drug products. In this application, the term "stabilized", as applied to levothyroxine and/or liothyronine means that the loss of

potency over the shelf life of the product is less than about 0.7 % potency per month, for at least about 18 months. Preferred compositions have a loss of potency of less than about 0.5% per month for such a period, and more preferred compositions have a loss of potency of less than about 0.3% per month for such a period.

Further, the compositions of the invention provide favorable pharmacokinetic characteristics when compared to prior formulations. In particular, the immediate release pharmaceutical compositions that include levothyroxine salt have are more quickly available for absorption by the gastrointestinal (GI) tract faster and are absorbed more completely than has heretofore been possible. This invention feature substantially enhances levothyroxine bioavailability, thereby improving efficacy and reliability of many standard thyroid hormone replacement strategies.

Additionally, the desirable immediate release characteristics of the present invention facilitate dosing of patients who may be generally adverse to thyroid hormone replacement strategies involving solid dosing. More specifically, immediate release pharmaceutical compositions disclosed herein can be rapidly dissolved in an appropriate aqueous solution (e.g., water, saline, juice) or colloidal suspension (e.g., baby formula or milk) for convenient administration to such patients. Illustrative of such patients include infants, children, and adults who may experience swallowing difficulties. The invention thus makes standard thyroid hormone replacement strategies more flexible and reliable for such patients.

Accordingly, and in one embodiment, the invention features an immediate release pharmaceutical composition comprising at least one levothyroxine salt, preferably one of such a salt. At least about 80% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard assay, disclosed herein. Preferably, at least about 80% of the levothyroxine is dissolved in the aqueous solution by about 15 minutes from the time that the composition, in pill form, is placed in the aqueous solution. More preferably, at least about 85% of the levothyroxine is released to the aqueous solution by about 10 minutes, most preferably by about 5 minutes after exposure of the composition to the aqueous solution. As shown below, compositions in accordance with the present invention can be formulated to release 85% of the levothyroxine within 2-3 minutes after exposure to the aqueous solution.

It has been found that by combining one or more of the pharmaceutically active agents with β-form microcrystalline cellulose, it is possible to produce compositions with favorable immediate release characteristics. Without wishing to be bound to theory, it is believed that the agents do not bind well to certain grades of the β - sheet form

microcrystalline cellulose. More of the agent is thus available for immediate release. In contrast, it is believed that many prior formulations have active agents that bind cellulose additives, making less available. The release characteristics of the compositions of the invention are also improved by the use of other agents, as discussed further below.

Thus in one embodiment, the present invention relates to a stabilized pharmaceutical composition comprising a pharmaceutically active ingredient, such as levothyroxine, and the β - sheet form of microcrystalline cellulose, in the form of a solid dosage. More specifically, the present invention relates to a stabilized pharmaceutical composition comprising a pharmaceutically active ingredient, such as levothyroxine sodium and/or liothyronine sodium, at least about 50 weight % of the dosage weight composed of the β - sheet form of microcrystalline cellulose, and, optionally, additional excipients, in a solid dosage form.

In another aspect, the invention provides an aqueous solution or colloidal suspension that includes at least one of the compositions of this invention, preferably between from about one to about five of same, more preferably about one of such compositions.

It has also been found that β - sheet microcrystalline cellulose grades having preferred bulk densities provide for more compact processing than use of other celluloses. That is, use of the β - sheet microcrystalline cellulose having bulk densities in accord with this invention helps to provide for higher compression ratios (initial volume/final volume). As discussed below, other invention aspects help reduce or avoid production of damaging compression heat that has damaged prior formulations made from high compression ratios. The compositions of the present invention generally also require less compressional force to form the tablets.

Accordingly, the invention also provides methods for making an immediate release pharmaceutical composition comprising at least one levothyroxine salt, preferably one of such a salt. In one embodiment, the method includes at least one and preferably all of the following steps:

- a) mixing a levothyroxine salt with microcrystalline βcellulose and preferably a crosscarmellose salt to make a blend; and
- b) compressing the blend in a ratio of initial volume to final volume of between from about 2:1 to about 5:1 to make the composition, preferably about 4:1.

In one embodiment, the method involves preparing an oral dosage form of a pharmaceutically active ingredient comprising dry blending the pharmaceutically active ingredient and at least about 50 weight % of the ß - sheet form of microcrystalline cellulose, and compressing the blend to form a solid dosage.

These and other objects, features, and advantages of the present invention may be better understood and appreciated from the following detailed description of the embodiments thereof, selected for purposes of illustration and shown in the accompanying figures and examples. It should therefore be understood that the particular embodiments illustrating the present invention are exemplary only and not to be regarded as limitations of the present invention.

Brief Description of the Fig.

The foregoing and other objects, advantages and features of the invention, and the manner in which the same are accomplished, will become more readily apparent upon consideration of the following detailed description of the invention taken in conjunction with the accompanying Figs., which illustrate a preferred and exemplary embodiment, wherein:

Figures 1A - 1C illustrate various solid dosage forms such as cylindrical tablets and raised violin shaped tablets;

Figure 2 illustrates a tableting die pair;

Figure 3 pair; is graphical depiction of comparative dissolution data of various strengths of Levoxyl[®] tablets made in accordance with the invention.

Figure 4A is an HPLC chromatogram showing a levothryoxine and liothyronine standards.

Figure 4B is an HPLC chromatograph showing results of levothyroxine sodium sample made in accordance with the present invention.

Figure 5A is a chromatogram showing various levothryoxine impurity standards.

Figure 5B is a chromatograph showing results of levothyroxine sodium sample made in accordance with the present invention.

Detailed Description

By way of illustrating and providing a more complete appreciation of the present invention and many of the attendant advantages thereof, the following detailed description is given concerning the novel oral levothyroxine (T4) and/or liothyronine (T3) (thyroid

hormone drugs) pharmaceutical compositions and methods for use in warm-blooded animals, especially humans and children.

As discussed, the invention relates to immediate release solid pharmaceutical compositions such as stabilized pharmaceutical compositions that include pharmaceutically active ingredients such as levothyroxine (T4) sodium and liothyronine (T3) sodium (thyroid hormone drugs), preferably in a solid dosage form. Also provided are methods for making such immediate release and stabilized compositions.

Aspects of the present invention have been disclosed in U.S. Provisional Application No. 60/269,089, entitled *Stabilized Pharmaceutical and Thyroid Hormone Compositions and Method of Preparation* and filed on February 15, 2001 by Franz, G.A. et al. The disclosure of said provisional application is incorporated herein by reference.

By the phrase "immediate release" is meant a pharmaceutical composition in which one or more active agents therein demonstrates at least about 80% (w/v) dissolution, preferably between from about 90% (w/v) to about 95% (w/v), more preferably about 95% (w/v) to about 99% (w/v) or more within 15 to 20 minutes as determined by a standard dissolution test. Suitable standard dissolution tests are known in the field. See FDA, Center for Drug Research, Guidance for Industry, In Vivo Pharmacokinetics and Bioavailability Studies and In Vitro Dissolution Testing for Levothyroxine Sodium Tablets, available at www.fda.gov/cder/guidance/index.htm. A specifically preferred dissolution test is provided in Example 2, below.

A pharmaceutical composition of the invention is "stable" or "stabilized" if one or more of the active agents therein exhibit good stability as determined by a standard potency test. More specifically, such compositions exhibit a potency loss of less than about 15%, preferably less than about 10%, more preferably less than about 1% to about 5% as determined by the test. Potency can be evaluated by one or a combination of strategies known in the field. See the USP. A preferred potency test compares loss or conversion of the active agent in the presence (experimental) or absence (control) of a carrier or excipient. A specifically preferred potency test is provided in Examples 1 and 3, below.

In preferred embodiments, the pharmaceutical compositions of the invention include, as active agent, levothyroxine (T4), preferably a salt thereof such as levothyroxine sodium USP. Such compositions typically exhibit a levothyroxine (T4) plasma Cmax of between from about 12 μ g/dl to about 16 μ g/dl, preferably as determined by the standard Cmax test. Preferably, the In(Cmax) of the levothyroxine (T4) plasma level is between from about 1 to about 3.

The standard Cmax test can be performed by one or a combination of strategies known in the field. See e.g., the USP. A preferred Cmax test is disclosed below in Examples 8 and 9.

Additionally preferred compositions in accord with the invention provide a triiodothyronine (T3) plasma Cmax of between from about 0.1 ng/ml to about 10ng/ml, preferably 0.5 ng/ml to about 2ng/ml, as determined by the standard Cmax test. Typically, the In(Cmax) is between from about 0.01 to about 5. See Examples 8 and 9 for more information.

Further preferred compositions exhibit a levothyroxine (T4) plasma Tmax of between from about 0.5 hours to about 5 hours, preferably as determined by a standard Tmax test. The standard Tmax test can be performed by procedures generally known in the field. See e.g., the USP. A preferred Tmax test is disclosed below in Examples 8 and 9.

Still further preferred compositions of the invention exhibit a triiodothyronine (T3) plasma Tmax of between from about 10 hours to about 20 hours, preferably about 12 to about 16 hours as determined by the standard Tmax test.

Additionally preferred invention compositions feature a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μ g-hour/dl to about 600 μ g-hour/dl, preferably 500 μ g-hour/dl to about 550 μ g-hour/dl as determined by a standard AUC (0-t) test. Preferably, the In[AUC(0-t)] is between from about 1 to about 10.

Standard methods for performing AUC (0-t) test determinations are generally known in the field. See e.g., the USP. Examples 8 and 9 below provide a specifically preferred method of determining the AUC (0-t).

Further preferred invention compositions feature a triiodothyronine (T3) AUC (0-t) of between from about 10 ng-hour/ml to about 100 ng-hour/ml, preferably 20 ng-hour/ml to about 60 ng-hour/ml, as determined by the standard AUC (0-t) test. Preferably, the In[AUC(0-t)] is between from about 1 to about 5.

As will be appreciated, many prior pharmaceutical formulations include lactose or other sugars as a pharmaceutically acceptable carrier. It has been found however, that sugars such as lactose can react with active agents including the levothyroxine (T4) compositions of the present invention. For example, and without wishing to be bound to theory, it is believed that lactose is particularly damaging to T4 and T3 molecules via Schiff reactions. The invention address this problem by providing compositions that are essentially sugar-free. Particular invention compositions are essentially free of lactose.

Additionally, preferred pharmaceutical compositions of the invention are provided in which the active material is a non-granulated material. Prior levothyroxine compositions have been granulated in various size reduction machines to grains of less than, e.g., 5-20 microns average particle size in order to be effectively incorporated into the administrable pharmaceutical composition. The granulation process subjects the active material to degrading heat, which can have adverse effects on the active material, as well as reducing the activity level. Prior manufacturers purchase micronized levothyroxine manufactured under DMF No. 4789, and then granulate it before incorporating it into the levothyroxine pharmaceutical product.

In the preferred method of the present invention, the raw material is not granulated before incorporation into the pharmaceutical composition. Rather, the ingredients of the preferred pharmaceutical are mixed and the mixture is subjected to direct compression to form the pharmaceutical tablets of appropriate dosage. As a result, the activity of the active ingredient is not degraded prior to the direct compression step. Bulk levothyroxine is obtained in a fine powdered form, preferably from Biochemie GmbH, A-6250 Kundl, Austria. More importantly, the use of the preferred process results in a product which is immediately dispersible in aqueous solution, to make the active ingredient available for absorption in the body. As used in this application, "non-granulated" means that the bulk USP compound is used without subjecting it to granulators or similar high energy size reduction equipment before being mixed with the other pharmaceutical components and formed into the appropriate pill. Preferably, the bulk active ingredient is mixed with the appropriate amounts of other ingredients and directly compressed into pill form. Since it is not necessary to granulate the material, it is not necessary to subject it to degrading temperatures in the process of forming the pharmaceutical compositions containing the active materials. In the present process we start with micronized active material, which merely needs to be blended with the B and other materials and then compressed. Others have to be granulated, and then dried, which steps interfere with the dissolution of the active material. The drying temperatures employed in manufacturing other active ingredients can cause degradation of the levothyroxine, as experienced in other available thyroxine. It has been found that providing the invention compositions in a non-granulated format helps to reduce or eliminate active agent degradation, presumably by facilitating a reduction in friction, and thus degrading heat, during compression of the compositions into pills.

Practice of the invention is compatible with several β -form microcrystalline cellulose grades. Preferably, the β -form microcrystalline cellulose has a bulk density of between from about 0.10 g/cm³ to about 0.35 g/cm³, more preferably between from about 0.15 g/cm³ to about 0.25 g/cm³, still more preferably between from about 0.17 g/cm³ to about 0.23 g/cm³, most preferably between from about 0.19 g/cm³ to about 0.21 g/cm³.

Further preferred grades of the β -form microcrystalline cellulose are substantially non-conductive. Preferably, the β -form microcrystalline cellulose has a conductivity of less than about 200 μ S/cm, more preferably, less than about 75 μ S/cm, still more preferably between from about 0.5 μ S/cm to 50 μ S/cm, most preferably between from about 15 μ S/cm to 30 μ S/cm.

A specifically preferred β-form microcrystalline cellulose is sold by Asahi Chemical Industry Co., Ltd (Tokyo, Japan) as Ceolus (Type KG-801 and/or KG-802).

Additionally preferred compositions of the invention have a post-packaging potency of between from about 95% to about 120%, preferably 98% to about 110% as determined by the standard potency test.

The present invention is a pharmaceutical product that is in the form of a solid dosage, such as a sublingual lozenge, buccal tablet, oral lozenge, suppository or a compressed tablet. The pharmaceutically active ingredient is dry mixed with the β -form of the microcrystalline cellulose, optionally with additional excipients, and formed into a suitable solid dosage.

Preferred tablets according to the invention have a total hardness of between from about 1 to about 30 KP, preferably about 6 to about 14 KP as determined by a standard hardness test. Methods for determining tablet hardness are generally known in the field. See e.g., the USP. A preferred standard hardness test is disclosed below in Example 4.

Additionally preferred pharmaceutical compositions including those in tablet format preferably include less than about 10% total impurities, more preferably less than about 5% of same as determined by a standard impurity test.

Reference herein to the "standard impurity test" means a USP recognized assay for detecting and preferably quantitating active drug degradation products. In embodiments in which levothyroxine or liothyronine break-downs are to be monitored, such products include, but are not limited to, at least one of diiodothyronine (T2), triiodothyronine (T3), levothyroxine, triiodothyroacetic acid amide, triiodothyroethylamine, triiodothyroacetic acid, triiodothyroethyl alcohol, tetraiodothyroacetic acid amide, tetraiodothyroacetic acid,

triiodothyroethane, and tetraiodothyroethane. Of particular interest are diiodothyronine (T2), triiodothyronine (T3), triiodothyroacetic acid, and tetraiodothyroacetic acid impurities.

A preferred impurity test for monitoring levothyroxine and liothyronine breakdown products involves liquid chromatography (LC) separation and detection, more preferably HPLC. Specifically preferred impurity tests are provided below in Examples 5 and 6

Further preferred compositions in accord with the invention include one or more standard disintegrating agents, preferably crosscarmellose, more preferably a salt of same. Still further preferred compositions include a pharmaceutically acceptable additive or excipient such as a magnesium salt.

The present invention can be prepared as a direct compression formula, dry granulation formula, or as a wet granulation formula, with or without preblending of the drug, although preferably with preblending.

The pharmaceutically active ingredient can be any type of medication which acts locally in the mouth or systemically, which is the case of the latter, can be administered orally to transmit the active medicament into the gastrointestinal tract and into the blood, fluids and tissues of the body. Alternatively, the medicament can be of any type of medication which acts through the buccal tissues of the mouth to transmit the active ingredient directly into the blood stream thus avoiding first liver metabolism and by the gastric and intestinal fluids which often have an adverse inactivating or destructive action on many active ingredients unless they are specially protected against such fluids as by means of an enteric coating or the like. The active ingredient can also be of a type of medication which can be transmitted into the blood circulation through the rectal tissues.

Representative active medicaments include antacids, antimicrobials, coronary dilators, peripheral vasodilators, anti psychotropics, antimanics, stimulants, antihistamines, laxatives, decongestants, vitamins, gastrosedatives, antidiarrheal preparations, vasodilators, antiarrythmics, vasoconstrictors and migraine treatments, anticoagulants and antithrombotic drugs, analgesics, antihypnotics, sedatives. anticonvulsants, neuromuscular drugs, hyper and hypoglycemic agents, thyroid and antithyroid preparations, diuretics, antispasmodics, uterine relaxants, mineral and nutritional additives, antiobesity drugs, anabolic drugs, erythropoietic drugs, antiasthematics, expectorants, cough suppressants, mucolytics, antiuricemic drugs, and drugs or substances acting locally in the mouth.

Typical active medicaments include gastrointestinal sedatives such as metoclopramide and propantheline bromide, antacids such as aluminum trisilicate, aluminum hydroxide and cimetidine, asprin-like drugs such as phenylbutazone, indomethacin, and naproxen.

ibuprofen, flurbiprofen, diclofenac, dexamethasone, prednisone and prednisolone, coronary vasodialator drugs such as glyceryl trinitrate, isosorbide dinitrate and pentaerythritol tetranitrate, peripheral and cerebral vasodilators such as soloctidilum, vincamine, naftidrofuryl oxalate, comesylate, cyclandelate, papaverine and nicotinic acid, antimicrobials, such as erythromycin stearate, cephalexin, nalidixic acid, tetracycline hydrochloride, ampicillin, flucolaxacillin sodium, hexamine mandelate and hexamine hippurate, neuroleptic drugs such as fluazepam, diazepam, temazepam, amitryptyline, doxepin, lithium carbonate, lithium sulfate, chlorpromazine, thioridazine, trifluperazine, fluphenazine, piperothiazine, haloperidol, maprotiline hydrochloride, imipramine and desmethylimipramine, central nervous stimulants such as methylphenidate, ephedrine, epinephrine, isoproterenol, amphetamine sulfate and amphetamine hydrochloride, anitidrugs such as diphenylhydramine, diphenylpyramine, chlorpheniramine and brompheniramine, antidiarrheal drugs such as bisacodyl and magnesium hydroxide, the laxative drug, dioctyl sodium sulfosuccinate, nutritional supplements such as ascorbic acid, alpha tocopherol, thiamine and pyridoxine, antispasmotics such as dicyclomine and diphenoxylate, drugs effecting the rhythm of the heart such as verapamil, nifedepine. diltiazem, procainamide, disopyramide, bretylium tosylate, quinidine sulfate and quinidine gluconate, drugs used in the treatment of hypertension such as propranolol hydrochloride, guanethidine monosulphate, methyldopa, oxprenolol hydrochloride, captopril, Actace and hydralazine, drugs used in the treatment of migraine such as ergotamine, drugs effecting coagulability of blood such as epsilon aminocaproic acid and protamine sulfate, analgesic drugs such as acetylsalicyclic acid, acetaminophen, codeine phosphate, codeine sulfate, oxycodone, dihydrocodeine tartrate, oxydodeinone, morphine, heroin, nalbuphine, butorphanol tartrate, pentazocine hydrochloride, cyclazacine, pethidine, buprenorphine, scopolamine and mefenamic acid, antldrugs such as phenytoin sodium and sodium valproate, neuromuscular drugs such as dantrolene sodium, substances used in the treatment of diabetes, such as tolbutamide, diabenase glucagon and insulin, drugs used in the treatment of thyroid gland dysfunction such as triiodothyronine, liothyronine sodium, levothyroxilne sodium and related compounds, and propylthiouracil, diuretic drugs, such as furosemide, chlorthalidone, hydrochlorthiazide, spironolactone and triampterene, the uterine relaxant drugritodrine, appetite suppressants such as fenfluramine hydrochloride, phentermine and diethylproprion hydrochloride, antidrugs stimulants such as aminophylline, theophylline, salbutamol, orciprenaline sulphate and terbutaline sulphate, expectorant drug such as guaiphenesin, cough suppressants such as dextromethorphan and mescaline, mucolytic drugs such as

carbocisteine, antiseptics such as cetylpyridinium chloride, tyrothricin and chlorhexidine, decongestant drugs such as phenylpropanolamine and pseudoephedrine, hypnotic drugs such as dichloralphenazone and nitrazepam, antidrugs H₁ blockers such as promethazine theociate, haemopoetic drugs such as ferrous sulphate, folic acid and calcium gluconate, uricosuric drugs such as sulphinpyrazine, allopurinol and probenecid and the like. It is understood that the invention is not restricted to the above medications.

The amount of pharmaceutically active ingredient in the present composition can vary widely, as desired. Preferably, the active ingredient is present in a composition of the present invention in an effective dosage amount. Exemplary of a range that the active ingredient may be present in a composition in accordance with the present invention is from about 0.000001 to about 10 weight %. More preferably, the amount of active ingredient is present in the range of about 0.001 to 5 weight %.

Of course, it should be understood that any suitable pharmaceutically acceptable form of the active ingredient can be employed in the compositions of the present invention, i.e., the free base or a pharmaceutically acceptable salt thereof, e.g., levothyroxine sodium salt, etc.

When the pharmaceutically active moiety is levothyroxine sodium, the preferred amount of the active moiety in the composition is present in the range of about 0.00005 to about 5 weight %. The more preferred range is from about 0.001 to about 1.0 weight %, and the most preferred range is from about 0.002 to about 0.6 weight % levothyroxine. The minimum amount of levothyroxine can vary, so long as an effective amount is utilized to cause the desired pharmacological effect. Typically, the dosage forms have a content of levothyroxine in the range of about 25 to 300 micrograms per 145 milligram pill for human applications, and about 100 to 800 micrograms per 145 mg pill for veterinary applications.

In accordance with the present invention, a goal of levothyroxine replacement therapy is to achieve and maintain a clinical and biochemical euthyroid state, whereas a goal of suppressive therapy is to inhibit growth and/or function of abnormal thyroid tissue. A dose of levothyroxine that is adequate to achieve these goals depends of course on a variety of factors including the patient's age, body weight, cardiovascular status, concomitant medical conditions, including pregnancy, concomitant medications, and the specific nature of the condition being treated. Hence, the following recommendations serve only as dosing guidelines. It should be understood by those versed in this art that dosing should be individualized and adjustments made based on periodic assessment of a patient's clinical response and laboratory parameters.

Preferably, but not necessarily, when using levothyroxine to treat, it should be taken in the morning on an empty stomach, at least one-half hour before any food is eaten. In addition, levothyroxine is preferably taken at least about 4 hours apart from drugs that are known to interfere with its absorption.

Due to the long half-life of levothyroxine, the peak therapeutic effect at a given dose of levothyroxine sodium may not be attained for about 4 to about 6 weeks.

In people older than 50 years, who have been recently treated for hyperthyroidism or who have been hypothyroid for only a short time (such as a few months), the average full replacement dose of levothyroxine sodium is approximately 1.7 mcg/kg/day (e.g., about 100 to about 125 mcg/day for a 70 kg adult). Older patients may require less than 1 mcg/kg/day. Levothyroxine sodium doses greater than about 200 mcg/day may or may not be required.

For most patients older than 50 years or for patients under 50 years of age with underlying cardiac disease, an initial starting dose of about 25 to about 50 mcg/day of levothyroxine sodium is recommended, with gradual increments in dose at about 6 to about 8 week intervals, as needed. The recommended starting dose of levothyroxine sodium in elderly patients with cardiac disease is about 12.5 to about 25 mcg/day, with gradual dose increments at about 4 to about 6 week intervals. The levothyroxine sodium dose is generally adjusted in about 12.5 to about 25 mcg increments until the patient with primary hypothyroidism is clinically euthyroid and the serum TSH has normalized.

In patients with severe hypothyroidism, the recommended initial levothyroxine sodium dose is about 12.5 to about 25 mcg/day with increases of about 25 mcg/day about every 2 to about 4 weeks, accompanied by clinical and laboratory assessment, until the TSH level is normalized.

In patients with secondary (pituitary)or tertiary (hypothalamic) hypothyroidism, the levothyroxine sodium dose should be titrated until the patient is clinically euthyroid and the serum free-T₄ level is restored to the upper half of the normal range.

In children, levothyroxine therapy may be instituted at full replacement doses as soon as possible. Levothyroxine compositions of the present invention may be administered to infants and children who cannot swallow intact tablets by crushing the tablet and suspending the freshly crushed tablet in a small amount (5–10 mL or 1–2 teaspoons) of water. This suspension can be administered by spoon or dropper. Foods that decrease absorption of levothyroxine, such as soybean infant formula, should not be used for administering levothyroxine sodium tablets.

A recommended starting dose of levothyroxine sodium in newborn infants is about 10 to about 15 mcg/kg/day. A lower starting dose (e.g., about 25 mcg/day) may be considered in infants at risk for cardiac failure, and the dose should be increased in 4–6 weeks as needed based on clinical and laboratory response to treatment. In infants with very low (< about 5 mcg/dL) or undetectable serum T₄ concentrations, a recommended initial starting dose is about 50 mcg/day of levothyroxine sodium.

As indicated above, levothyroxine therapy is usually initiated at full replacement doses, with the recommended dose per body weight decreasing with age (see Dose Table below). However, in children with chronic or severe hypothyroidism, an initial dose of about 25 mcg/day of levothyroxine sodium is recommended with increments of 25 mcg every 2–4 weeks until the desired effect is achieved. Hyperactivity in an older child may be minimized if the starting dose is one-fourth of the recommended full replacement dose, and the dose is then increased on a weekly basis by an amount equal to one-fourth the full-recommended replacement dose until the full recommended replacement dose is reached.

Dose Table: Levothyroxine Sodium Dosing Guidelines for Pediatric Hypothyroidism				
AGE	Daily Dose per Kg Body Weight ^a			
0–3 months	10–15 mcg/kg/day			
3–6 months	8–10 mcg/kg/day			
6–12 months	6–8 mcg/kg/day			
1–5 years	5–6 mcg/kg/day			
6–12 years	4–5 mcg/kg/day			
>12 years	2–3 mcg/kg/day			
Growth and puberty complete 1.7 mcg/kg/day				
^a The dose should be adjusted based on clinical response and laboratory parameters.				

Levothyroxine sodium tablets, USP, in accordance with the present invention may be supplied as oval or violin-shaped, color-coded, potency marked tablets in, for example, 12 strengths as indicated in the Strength Table

Strength Table	Levothyroxine Tablets
Strength (mcg)	Color
25	Orange
50	White
75	Purple
88	Olive
100	Yellow
112	Rose
125	Brown
137	Dark Blue
150	Blue
175	Turquiose
200	Pink
300	Green

When the pharmaceutically active moiety is liothyronine sodium, the preferred amount of the active moiety in the composition is present in the range of about 0.000005 to 0.5 weight %. The more preferred range is from about 0.00001 to 0.1 weight %, and the most preferred range is from about 0.00004 to about 0.002 weight % liothyronine. The minimum amount of lyothyronine can vary, so long as an effective amount is utilized to cause the desired pharmacological effect. Typically, the dosage forms have a content of levothyroxine in the range of about 5 to 50 micrograms per 145 milligram pill for human applications.

The β -form microcrystalline cellulose product of the present invention is prepared by forming a wet cake, drying the cake with a drum dryer, then passing the dried product through a screen or mill for sizing which produces a β -sheet microcrystalline cellulose which has a flat needle shape, as disclosed in U.S. Patent 5,574,150. Such β -sheet microcrystalline product is available from Asahi Chemical of Japan and/or marketed by FMC Company of Newark, Del, under the trademark Ceolus®. The morphology and performance characteristics of the Ceolus® product are different from those of α - form microcellulose products (for example, Avicel® and Emcocel®), and are suitable for preparing the present stabilized pharmaceutical composition.

The amount of β -form microcrystalline product used in the present composition is at least 50 weight % of the final composition. Preferably, the amount of β -form microcrystalline

product is in the range of about 50 to 99 weight %. Most preferably, the amount of β-form microcrystalline product is in the range of about 60 to 90 weight % of the final composition.

Other suitable excipients for the present invention include fillers such as starch, alkaline inorganic salts such as trisodium phosphate, tricalcium phosphate, calcium sulfate and sodium or magnesium carbonate. The fillers can be present in the present composition in the range of about 0 to 50 weight %.

Suitable disintegrating agents include corn starch, cross-linked sodium carboxymethylcellulose (crosscarmellose) and cross-linked polyvinyipyrrolidone (crospovidone). A preferred disintegrating agent is crosscarmellose. The amount of disintegrating agent used is in the range of about 0 to 50 weight %. Preferably, the disintegrating agent is in the range of about 5 to 40 weight %, more preferably about 10 to about 30 weight %. This is in substantial excess of the recommended levels of such materials. For example, the recommended loading of crosscarmellose is 0.5 to about 2% by weight. However, it has been found that the higher loadings of the disintegrating agents substantially improves the ability of the product to disperse in aqueous media.

Suitable gildents for use in the present invention include colloidal silicon dioxide and talc. The amount of gildent in the present composition is from about 0 to 5 weight %, and the preferred amount is about 0 to 2 weight %.

Suitable lubricants include magnesium and zinc stearate. sodium stearate fumarate and sodium and magnesium lauryl sulfate. A preferred lubricant is magnesium stearate. The amount of lubricant is typically in the range of about 0 to 5 weight %, preferably in the range of about 0.1 to 3 weight %.

The oral pharmaceutical product is prepared by thoroughly intermixing the active moiety and the \(\beta\)-form of microcrystalline cellulose, along with other excipients to form the oral dosage. Food grade dyes can also be added. For example, it is common to distinguish dosages of various potency by the color characteristics of such dyes.

As discussed, a preferred immediate release pharmaceutical composition in tablet form includes levothyroxine sodium. In a preferred embodiment, the composition includes at least one of, preferably all of the following:

- a) between from about 0.01 mg/tablet to about 500 mg/tablet levothyroxine sodium (USP),
- b) between from about 100 mg/tablet to about 110 mg/tablet of microcrystalline β-cellulose, NF (Ceolus) having a bulk

density of between from about 0.10 g/cm³ to about 0.35 g/cm³,

- c) between from about 25mg/tablet to about 50mg/tablet of crosscarmellose sodium, NF (Ac-di-sol); and
- d) between from about 0.5 mg/tablet to about 5mg/tablet of magnesium stearate, NF.

Preferably, the composition further comprises at least one pharmaceutically acceptable coloring agent.

More particular methods according to the invention provide compositions having less than about 5% total impurities as determined by the standard impurity test. Preferably, the method further comprises forming a tablet, particularly those tablets having a raised violin configuration.

The stabilized oral dosages of thyroid hormone are prepared by forming a trituration of the active moiety (i.e. levothyroxine sodium and/or liothyronine sodium) and β-form microcrystalline cellulose. The trituration is blended with β-form microcrystalline cellulose and additional excipients and compressed into oral dosages.

Design of the tableting apparatus is important, in order to maintain consistency from one oral dosage to the next. The formulation batches are a blend of solid compositions of various shapes and sizes. Blending is used to achieve a measure of homogeneity. In particular the active thyroid moiety is desired to be evenly distributed throughout the batch. In a typical 410 kg batch, the amount of active moiety represents less than 1 kg of the total weight. For example, when producing 145 mg tablets with a 300 mcg dosage, approximately 0.8 kg of a 410 kg batch is the active moiety. In addition each tablet is formulated to contain 100% label claim potency.

It is typical for compressible medicament tablets to be formed using a 2:1 fill to compression ratio. However, for medicament tablets formed using the present invention a fill to compression ratio from 3.3:1 to 4:1 is needed to obtain desired tablet density. The β-form microcrystalline cellulose has a lower bulk density, as compared to other excipients.

Higher tablet density can be accomplished by adjusting a tableting machine to increase the compression ratio. Tableting machines are commonly known to practitioners in the art and include those available from Manesty and Stokes. It has been found that making such adjustments to the compression ratio results in poor tablet surface finish as well as inconsistent tablet weights. Instead, the design of the tableting dies should be adjusted. It has

been determined that during the filling of the tableting dies, a minimum of 5-6mm die overfill. In most cases this requires replacement of the usual tableting dies with dies which are an additional 2-3 mm deep.

When using the extra-deep dies and a compression ratio of from 3.3:1 to 4.0:1, consistent weight tablets with good surface finish were produced.

Preferably, the shape of the tablet is configured to increase heat transfer away from the tablet. More preferred tablets have a surface area per tablet of between from about 0.9 in.² to about 0.15 in.², preferably about 0.115in.², to assist such heat transfer. Additional tablet configurations are contemplated e.g., tablets that are beveled and/or include a notch. A preferred tablet shape is a raised violin configuration, as shown in Figure 1C.

The following examples are given by way of illustration only and are not to be considered limitations of this invention or many apparent variations of which are possible without departing from the spirit or scope thereof.

Example 1

Stability Tests

Stability testing was performed on samples of the thyroid hormone drug formulation used in manufacturing tablets with an active moiety of levothyroxine sodium. Tests were performed on direct compression formulations for dosage strength of 25 mcg. Example 1 tablets comprise the β -form microcrystalline cellulose while Control 1 tablets comprise the traditional α -form microcrystalline cellulose. The composition of Example 1 and Control 1 tablets are presented in Table 1 and stability test results in Table 2:

Table 1 - Tablet Formulation for 25mcg Dosages of LevothyroxineSodium

Example 1	Control 1	Component
Tablet	Tablet	
0.0297 mg	0.0297 mg	Levothyroxine Sodium, USP
108.55 mg		ß - sheet microcrystalline cellulose
	108.55 mg	β - form microcrystalline cellulose
35.079 mg	35.079 mg	Crosscarmellose Sodium, NF
0.352 mg	0.352 mg	FD&C Yellow #6 16% (14-20%
1.018 mg	1.018 mg	Magnesium Stearate, NF
145.0 mg	145.0 mg	Total

Table 2 - Stability Test - Potency at 25 ° C -- % Label Claim

Elapsed Time	o	73 Days	13 months	15 months
Example 1Tablet	106.4	105.5	104.4	102.9
Example 1 % Potency	0.0	0.9 %	2.0%	3.5%
Loss				
% Change per Month	0.0	0.37	0.15	0.23
Control 1 Tablet	99.2	89.5	85.0	83.2
Control 1 % Potency	0.0	2.7%	14.2 %	16.0 %
Loss				
% Change per Month	0.0	1.11	1.09	1.07

As seen in Table 2, the stability of pharmaceutical formulations of the present invention is improved significantly by the use of the β - sheet microcrystalline cellulose. Potency loss of the present invention after 15 months is 3.5 %, versus 16.0 % potency loss experienced in a similar formulation with the α -form microcrystalline cellulose. The average loss in potency per month in the case of the compositions of the present invention was only about 0.2 % per month, as compared to over 1% per month for the T4 products which included β -form microcrystalline cellulose, thus demonstrating a stability which is about 3 to 4 times better than the T4 products which utilized α -form microcrystalline cellulose.

Tableting testing was performed on the formulation for Example 1 tablets. Initial results with standard die depths provided a relative standard deviation of 2.2 to 3.5% tablet

weight. With the use of the herein described extra deep tablet dies, the relative standard deviation is 1.2%. Testing was performed on a Manesty tableting machine with compression ratios of from 3.3:1 to 4.0:1.

Tablet quality is also dependent upon the storage of the ß-sheet microcrystalline cellulose. Best results are achieved when the cellulose is received in drums or portable containers instead of bags. The bag form suffers from compression during transportation from raw material suppliers. Test results for tableting are presented in attached Exhibit A.

Additional examples of solid dosage formulations are illustrated in Tables 3 and 4. Stability testing data of additional examples are illustrated in Table 5.

Table 3 - Tablet Formulation for Dosages of Levothyroxine Sodium (per tablet)

25 mcg Dosage	50 mcg Dosage	75 mcg Dosage	Component	
0.025 mg	0.0500 mg	0.0750 mg	levothyroxine sodium	
108.529 mg	108.856 mg	108.438 mg	ß-form microcrystalline cellulose	
35.079 mg	35.079 mg	35.079 mg	crosscarmellose sodium	
0.352 mg		0.383 mg	food grade dye	
1.018 mg	1.018 mg .	1.018 mg	magnesium stearate	
145 mg/tablet	145 mg/tablet	145 mg/tablet	Total	

Table 4 - Tablet Formulation for Dosages of Levothyroxine Sodium (per tablet)

100 mcg Dosage	112 mcg Dosage	300 mcg Dosage	Component
0.100 mg	0.112 mg	0.300 mg	Levothyroxine sodium
108.406 mg	107.71 1 mg	108.451 mg	ß-form microcrystalline cellulose
35.079 mg	35.079 mg	35.079 mg	crosscarmellose sodium
0.388 mg	1.080 mg	0.142 mg	food grade dye
1.018 mg	1.018 mg	1.1018 mg	magnesium stearate
145 mg/tablet	145 mg/tablet	145 mg/tablet	Total

Table 5 shows drug stability data for a number of the above formulations:

Table 5 - Stability Test - Potency at 25 ° C - % Label Claim

Levothyroxine Na Test Interval (months)				
Test	Initi	6	12	18
25 μg Dose	26.2	25.6	25.5	25.3
% Label Claim	104.	102.	102.	101.
% of Initial Result	100.	97.5	97.3	96.6
% Change	0.0	2.6	2.8	3.6
% Change per month	0.0	0.43	0.23	0.2
50 μG Dose	51.0	49.9	48.9	48.4
% Label Claim	102.	99.7	97.7	96.7
% of Initial Result	100.	97.7	95.8	94.8
% Change	0.0	2.3	4.3	5.3
% Change per month	0.0	0.38	0.36	0.29
112 μg Dose	113.	113.	109.	105.
% Label Claim	101.	101.	97.8	94.5
% of Initial Result	100.	100.	96.6	93.4
% Change	0.0	0.3	3.4	6.7
% Change per month	0.0	0.05	0.28	0.37
200 μg Dose	202.	196.	198.	196.
% Label Claim	101.	98.4	99.3	98.3
% of Initial Result	100.	97.3	98.2	97.2
% Change	0.0	2.7	1.7	2.8
% Change per month	0.0	0.45	0.14	0.15

Thus the formulations of the present invention provide extreme stability for the levothyroxine activity over an extended shelf life for these pharmaceutical products.

Example 2

Dissolution Tests

The following preferred method for testing potency will sometimes be referred to herein as method number: AM-004B

Table 6 – Dissolution Test Procedure

Chromatographic	
Conditions	
Mobile Phase:	Degassed and filtered mixture of methanol and 0.1%
Widdle Fliase.	phosphoric acid (60:40).
Column	C ₁₈ 3.9 mm x 30 cm
Column:	2.0 ml/minute
Flow Rate:	Deuterium set at 225 nm
Detector:	
Injection Volume:	800 µL
System Suitability:	Chromatograph 6 replicate injections of the standard
	preparation.
	1.0 RDS for the standard replicates must not be more than 4.0%.
	2.0 The tailing factor must not be more than 1.5.
Medium:	0.01 N hydrochloric acid containing 0.2% sodium lauryl sulfate; 500 ± 5 ml; 37 ± 0.5 °C This solution is very foamy;
	excessive mixing, shaking, and pouring will make reading the
	meniscus on the graduated cylinder difficult.
Apparatus:	Apparatus 2 (Paddles) The apparatus is to be cleaned immediately after use or if left
Apparatus Cleaning:	idle for more than 12 hours. Clean paddles by rinsing with
	distilled water, methanol, and distilled water again. Blot to
	dry with Kimwipes. Clean vessels by rinsing with hot tap
	water, microdetergent, hot tap water, and distilled water. Dry
	· · · · · · · · · · · · · · · · · · ·
	using paper towels.
Paddle Speed:	50 rpm
Incubation Period:	Up to 45 minutes
Standard Solutions:	Transfer about 50 mg USP Levothyroxine RS, accurately weighed, into a 100 ml volumetric flask. Add approximately
	30 ml of methanol, dissolve and dilute to volume with
	methanol, mix. Using this solution, standard solutions are
	prepared in a volumetric flask using Dissolution Media,
	diluting to a concentration that comes near to the theoretical
	concentration of the tablet in 500 ml of Dissolution Media.
	Use a pipette to gently add the Dissolution media to prevent
	foaming. *Calculate and use the <u>actual</u> concentration in %
	Dissoluted equation
Sample Preparation:	One tablet is placed into each vessel of the dissolution
Sample Freparation.	apparatus. Sample each vessel after the incubation time, as
	stated above. Pass a portion of the sample through a 0.45
	micron filter sufficient to equilibrate the filer. Filters are to be
	pre-qualified according to SOP (C1-730). Use a new filter for
	each vessel.
Procedure:	Inject 800 µl of standard and sample into the column and
A TOCCULIC.	record the chromatograms. Measure the responses of the
	major peaks. Calculate the amount of Levothyroxine
	dissolved in each vessel by the formula below.
L	dissolved in each vessel of the formation.

Calculations:

Sample Area x 798.86 x Amt. Std. Injected x 100% = % Dissoluted

% Dissoluted

Std. Area 776.87 Amt. Samp. Injected

Where

798.86 = molecular weight of Levothyroxine as Sodium Salt

776.87 = molecular weight of Levothyroxine (as Base)

Table 7 – Acceptance Criteria

STAGE	#TESTED	ACCEPTANCE CRITERIA Q = 70%
S-1	6	Each unit is not less than Q + 5%
S-2	6	Average of 12 units (S-1 + S-2) is equal to or greater than Q , and no unit is less than Q -15%
S-3	12	Average of 24 units (S-1 + S-2 + S-3) is equal to or greater than Q and not more than 2 units are less than Q-15%, and no unit is less than Q-25%

Table 8 shows comparative dissolution data for all strengths of Levoxyl® tablets.

Table 8 - Comparative Dissolution Data

	0 minutes	1 minute	2.5 minute	5 minutes	7.5 minutes	10 minutes
25 mcg	0.0%	84.9%	93.7%	90.9%	88.6%	84.7%
50 mcg	0.0%	82.8%	92.7%	91.8%	87.8%	84.4%
75 mcg	0.0%	78.9%	93.6%	92.2%	88.3%	84.7%
88 mcg	0.0%	79.8%	95.6%	94.1 %	90.5%	86.9%
100 mcg	0.0%	85.4%	94.8%	94.5%	90.7%	86.5%
112 mcg	0.0%	75.5%	91.1%	90.7%	87.0%	82.9%
125 mcg	0.0%	75.0%	96.5%	95.5%	91.7%	87.8%
137 mcg	0.0%	79.9%	93.9%	93.2%	89.4%	85.7%
150 mcg	0.0%	75.6%	91.9%	91.4%	88.7%	84.6%
175 mcg	0.0%	84.2%	95.7%	93.5%	90.3%	85.5%
200 mcg	0.0%	76.5%	94.9%	94.6%	91.0%	87.6%
300 mcg	0.0%	74.5%	92.1%	91.4%	87.9%	84.0%

Figure 4 depicts graphs showing the mean results for each of the tablet strengths of Levoxyl® tested. Each point is the mean of three dissolutions, testing 12 tablets per dissolution or n=36. The data is presented as percent of label claim dissoluted vs. dissolution time.

The results demonstrate that the multi-point dissolution profiles for Levoxyl[®] tablets are similar across a wide variety of tablet strengths. Moreover, all strengths substantially exceed the requirements for immediate release oral dosage forms (i.e. at least 80% dissoluted with 15-20 minutes). In each dosage form, these pills were over 90% dissoluted within two and a half minutes.

The extremely rapid dispersion rates for the tablets of the present invention make possible a simplified treatment method for infants or others who have difficulty swallowing pills. In this approach, the appropriate dosage for the patient in question, in an immediate release pill made in accordance with the present invention, is simply mixed with a suitable amount, e.g. 50 - 200 ml, of aqueous fluid, such as water, soft drinks, juice, milk, etc. The immediate release pill is easily dissoluted in the fluid, optionally with stirring or shaking, and simply administered to the patient.

Example 3

Potency Test

The following method for testing potency of the tablets will sometimes be referred to herein as method number: AM-003. Alternatively, the tablet potency can be tested according to method AM-021. Method number: AM-021 is the same as method number: AM-003, except the tablets are dissolved whole without first grinding the tablets into a powder, as with method number: AM-003.

Method Reference:

USP 24 pp. 968-970

Chromatographic Conditions:

Mobile Phase: 65:35:0.05 H20: CAN: H3P04 degassed and filtered; mobile phase composition may be altered to achieve a satisfactory resolution factor.

Column:

ACN, 4.6 mm x 25 to 30 cm

Flow Rate:

1.5 ml/minute

Detector:

Deuterium, set at 225 nm

Injection Volume:

100 ml

System Suitability:

Chromatograph 5 replicate injections of the standard preparation. Record the peak responses as directed under "Procedure".

- 1.0 RSD for the standard replicates must not be more than 2.0% for T_4 .
- 2.0 Calculate the resolution factor R on one of the five replicates. The R-value must be greater than or equal to 5.0 to proceed. See Method QC-009.

Standard Preparation:

Accurately weight 25 mg of USP Levothyroxine RS and transfer to an amber 250-ml volumetric flask. Add approximately 50ml extraction mobile phase. Let stand for 20 minutes with occasional swirling. Sonicate for 30 seconds. Gradually add more extraction solution and repeat sonication until no undissolved particles are observed. Dilute to volume with extraction solution. Mix well. The concentration of T₄ is about 100 μg/ml. Also dissolve an accurately weighed quantity of USP Liothyronine RS to yield about 100 mg/ml, done as above with USP Levothyroxine RS. Label this solution as stock T₃-A.

Stock Standard dilution:

- 1. Pipette 10.0 ml stock T₃-A into a 500 ml Type A volumetric flask.
- 2. Dilute to volume with Mobile Phase for a concentration of about 2 μ g/ml. Mix well and label this solution as std. T₃-B.
- 3. Pipette 50.0 ml each from the T_4 and T_3 -B stock standards and transfer into a 500-ml Type A volumetric flask

Dilute to volume with mobile phase and mix well. Label this standard as T_3/T_4 working standard. The concentration of the working standard should be about 0.2 μ g/ml T_3 and 10.0 μ g/ml T_4 .

Note:

Concentrations of Levothyroxine and Liothyronine require adjustments for water content.

Assay Preparation:

Weigh not less than the specified tablet quantity and calculate the average tablet weight. Crush tablets into a <u>uniform</u> fine powder with a mortar and pestle. Tare a polypropylene weigh boat.

Accurately weigh (to 0.1 mg) a portion of the powder into the tared weigh boat using a preconditioned stainless steel scoop or spatula (either Teflon coated or uncoated). The spatula or scoop is preconditioned by dipping it into the powder. Use the *Sample Calculation* below to achieve 50 ml of a 10 µg/ml assay solution.

Record the sample weight taken. Carefully transfer the sample into an Erlenmeyer flask, reweigh the weigh boat and subtract the residual weight from the weight taken to obtain the actual sample weight. Pipette 50 ml of mobile phase into the flask. Cover the flask with parafilm, sonicate for approximately 10 seconds and vortex for approximately 235 seconds at a speed of 6 or greater. Observe sample preparation, and if clumping is noted, repeat the sonication and/or vortex steps. Centrifuge (~3,000rpm) for NLT 1 minute until a clear supernatant is achieved. Transfer a portion of the supernatant to an auto sampler vial.

For *In-Process* granulation analysis, use the theoretical tablet weight (0.1455 g) in place of (weight of tablets/number of tablets) in the formula below.

Sample Calculation:

Weight of Tablets X $10\mu g/ml$ X 50ml = Amount to Weight Out per Assay Number of Tablets Dose (μg)

Procedure:

Separately inject $100 \mu l$ of the sample onto the column. Record the responses of the analyte peak and calculate % label claim as follows.

Calculations:

Sample Area x Std conc. (μ g) x 50 ml x avg. tablet weight in g x $\underline{798.86} = \mu$ g/dose x 100 = % Label Claim

Standard Area (ml) Actual Sample wt in g 776.87 Label Claim

Where 798.86 = molecular weight of Levothyroxine as the Sodium Salt 776.87 = molecular weight of Levothyroxine Standard Base

Results:

Figures 5A and 5B show HPLC chromatograms of levothyroxine and liothyronine controls (T3/T4 working standard, shown in Figure 5A) and an experimental sample made in accordance with the present invention as described above.(Figure 5B). The peaks in both chromatograms in the area of 1.325 to 3.1 correspond to materials in the solvent. The peak at about 7.2 in Fig. 5A shows the presence of T3. Fig. 5B shows the absence of T3, as well as the absence of other related products or degradation products of levothyroxine.

Example 4

Hardness Test

The following preferred method for testing tablet hardness will sometimes be referred to herein as method number: QC-005

Table 9 - OC-005 Hardness Test Procedure

APPARATUS:	Van-Keel hardness tester; Please refer to equipment Profile for instrument
	information.
PROCEDURE:	Lay the tablet flat with the score side up onto the instrument in between the jaw area. The tablet's score line should be perpendicular to the jaw's line for the tablet to be aligned properly. Refer to alignment diagram below.
	For Tamil-K caplets, place the caplet onto the instrument on its side. The caplet's score line should not be laying on the flat part of the testing area as with other tablets but should not be parallel to the jaw's line for the caplet to be aligned properly. Refer to alignment diagram below.
	Push the test button on the control panel. The jaws will automatically move the break the tablet. The force needed to break the tablet (KP) will read out on the digital display and print out on the print tape.
	Specifications: 6.0 – 14.0 kiloponds
RESULTS:	Typical results range from about 9.3 to about 12.3 kiloponds.

Generally the hardness of the pills lies between about 6.0 and about 14.0 kiloponds. Preferably the pill hardness is from about 9 to about 13 kiloponds. Typical results of

products made in accordance with the present invention are about 9.3, 11.3, 9.8, 10.2, 12.3, etc. Pharmaceutical tablets which incorporate granulated active ingredient are typically much higher in hardness, which may add to the difficulty of dissolving or dissoluting them. Pills which are lower in hardness generally present more problems of pill fragmentation during handling and storage.

Example 5

Impurity Tests

The following preferred method for testing tablet impurities is sometimes referenced herein as method number: SA-004

Table 10 - SA 004 Impurity Test Procedure

Method Reference:

Biochemie Method No. 1417-6, Report JMI-DP-002

Equipment: Reagents:

HPLC with a gradient system and a detector at a wavelength of 225 nm

Acetonitrile, HPLC grade Methanol, HPLC grade

Water, HPLC grade

Sodium Hydroxide, ACS reagent grade

Sodium Hydroxide 0.1 solution: Dissolve 40g of NaOH pellets in 1000

ml HPLC grade water. Store in a plastic container.

Phosphoric acid, 85% reagent grade Diiodothyronine reference material Liothyronine RS USP reference material Levothyroxine RS USP reference material Triiodothyroacetic acid reference material Tetraiodothyroacetic acid reference material

Solvent 1: To 100.0 ml of 0.1 N Sodium Hydroxide solution add a 1:1

V/V mixture of methanol and water to make 1000 ml.

Solvent 2: 77:23:0.1 H2): CANACN: H3PO4; Degassed and filtered; mobile phase composition a may be altered to achieve a satisfactory

resolution factor.

Extraction solution: Pipette 50 ml of solvent 1 into a 1000 ml

volumetric flask dilute to volume with solvent 2, stopper and mix well.

Chromatography

Nucleosil 100-10CN, 250 mm long, 4.6 mm internal diameter, at

ambient temperature Column: **Gradient Elution** System:

Mobile phase A: 1000:1 H2O:H3PO4 V/V

Mobile phase B: Acetonitrile

Gradient program:

Time min

% of mobile phase A % of mobile phase B

26 77 23

Flow rate: 1.5 ml/min.

Injection Volume: 100 up: next injection after approx. 40 min.

Detector: UV, 225 nm

System Suitability:

Chromatograph 5 replicate injections of the Reference I Standard preparation, chromatograph 2 replicate injections of the Reference II Standard. Record the peak responses as directed under "Procedure". An extraction blank is to be run after the standards.

- 1. The RSD must not be greater than 2.0% for each of the impurities in the standard reference solution I.
- 2. The resolution factor between liothyronine and levothyroxine in the standard reference solution I must not be less than 5.0.
- 3. The Signal to Noise ratio must not be less than 5/1 for levothyroxine and impurities in the chromatogram obtained with standard reference solution II.
- 4. A peak of monochlorotriiodothyronine may occur just before the levothyroxine peak. Make sure that the degree of separation between this peak and of levothyroxine is at least sufficient to permit separate evaluations. Monochlorotriiodothyronine reference material is not available to be purchase by any vendor. Any calculation of monochlorotriiodothyronine impurity will be done by its retention time.

Standards **Preparation:**

- 1. Stock Standard Reference Solution:
 Accurately weigh 10 mg +/- 0.1 mg of each Diiodothyronine,
 Liothyronine, Levothyroxine, Triiodothyroacetic acid and
 Tetraiodthyroacetic acid reference standards into a 100ml
 volumetric flask. Dissolve in Solvent 1 and dilute to volume,
 stopper and mix well. The concentration of each component will
 be approximately 100mcg/mlL.
- 2. Standard Reference solution I:

Pipette 5.0 ml of Stock Standard Reference Solution into a 100 ml volumetric flask, dilute to volume with Solvent 2, stopper and mix well. The Final concentration of each component will be approximately 5mcg/mlL.

3. Standard Reference solution II (0.05%):
Pipette 2.0 ml of Standard Reference Solution I into a 100 ml
volumetric flask, dilute to volume with Solvent 2, stopper and mix
well. The final concentration of each component will be
approximately 0.1 mcg/mlL.100

Test Preparation:

Crush not less than 20 tablets. Tare a 250 ml Erlenmeyer flask. Accurately weigh to the nearest 0.1 mg an equivalent of 500 mcg of levothyroxine sodium (+/- 10%) into a 250 ml Erlenmeyer flask. Pipette 100.0 mcg of the Extraction solution into the flask cover the flask with parafilm, sonicate, vortex and then centrifuge the solution for 1 minute each. The final concentration of the sample will be approximately 5 mcg/ml of levothyroxine.

To calculate the amount to weigh for the test preparation use the following equation:

 $500 \text{ mcg } \times 0.1450 \text{g}^*$ = Amount to weight for the test prep tablet label claim (mcg)

* where 0.1450 g = theoretical tablet weight

Note: Analyst must keep all materials use in performing this assay until the results are calculated, checked, and recorded and it is verified that the test is acceptable. This includes the crush, the Erlenmeyer flask with Extraction solution, the centrifuge tube and the auto-sampler vial. If the analysis is running overnight, these materials should be sealed with parafilm and saved until results are obtained and the results are deemed acceptable

Procedure:

- 1. Separately inject 100µl of the sample preparation onto the column. Record the response of the analyte peaks and the calculate % w/w using the equations below.
- 2. The chromatogram may need to be reprocessed to obtain optimal integration. A copy of the sample chromatograph is to be attached to the analytical packet.
- 3. Peaks on the sample chromatograph with areas less than a signal ratio of 5/1 will be considered none detected.

Calculations:

Diiodothyronine:

<u>Sample area</u> X Std conc. (mcg) X 100ml X 100% x 1.11* = % w/w Std. Area ml Wsimpl (g) 1000000 mcg/g

or

*where 1.11 is a correction factor

Triiodothyroacetic Acid:

or

Sample area X Std. Conc. (mcg) X
$$0.01$$
 = %w/w Std area ml Wsimpl (g)

Tetraiodothyroacetic Acid:

Sample area	X	Std conc.	<u>(mcg)</u>	\mathbf{X}	<u>100ml</u>	\mathbf{X}	<u>100%</u>	x 1.16* = %
w/w Std. Area			ml		Wsimpl (g)		1000000 mcg/g	
ota. 1110a			1111		(A)			

or

Sample area X Std. Conc. (mcg) X
$$0.01$$
 X $1.16*$ = %w/w Std area ml Wsimpl (g)

Limit of Detection (LOD) Values

Impurity	Limit of Detection		
Diiodothyronine (T2)	0.00625%		
Triiodothyroacetic Acid (Reverse T3)	0.003125%		
Tetraiodothyroacetic Acid (Reverse T4)	0.003125%		

Calculation of the theoretical area for 0.05% of levothyroxine sodium, based on the initial amount in mg of levathyroxine sodium in the whole sample weight.

$$\frac{\text{(Area rs II)(A)(10.0)}}{\text{(.05) (T4std st.)(P)(1.0283)}} = \text{Theoretical area for 0.05\% of levothyroxine Na, based on the actual weight}$$

Where: Area_{rs} π -is the average area of the levothyroxine in the Standard reference solution II A = is the initial weight of levothyroxine Na in mg represented by the sample weight. This is calculated by using this equation: = sample weight (g) X claim T₄in mcg 0.1450g X 1000 mcg/mg

10.0 = theoretical initial weight of the Levothyroxine USP reference standard 0.500 = is the theoretical initial weight of the Levothyroxine NA to be tested, in mg T_4 std. Wt. = the initial weight of the levothyroxine USP standard in mg P = the purity of the levothyroxine Na USP standard (%purity/100%)

^{*}where 1.16 is a correction factor

1.0283 = conversion of levothyroxine into levothyroxine sodium

Greatest unknown impurity (individually):

 $(Area_{impurity})$ $(T_4std wt mg)(1.0283)$ (P) (100) = impurity (%) (Area ref std I) (A) (2000)

Where: Area impurity is the area of the greatest unknown impurity in the test solution with an area greater than the theoretical area for 0.05% of the levothyroxine Na taken into account.

1.0283 = conversion of levothyroxine into levothyroxine sodium

P = the purity of the levothyroxine Na USP standard (% purity/100%)

100 is the dilution of the test solution

Area ref std I is the area of the levothyroxine in the standard reference solution I

A = is the initial weight of levothyroxine Na in mg represented by the sample weight.

This is calculated by using this equation: = $\frac{\text{sample weight (g) } \text{X claim T4 in mcg}}{0.1450 \text{g X } 1000 \text{ mcg/mg}}$

2000 is the dilution of the reference solution.

Total of other Unknown Impurities:

(Sum area impurities) (T4 std wt mg) (1.0283) (P) (100) = Total Unknown impurities (%) (are ref std I) (A) (2000)

Where: Sum area impurity is the sum of the areas of all the other unknown impurities in the test solution (only areas that are greater than the theoretical area for 0.05% of the levothryoxine sodium taken into account)

T4 std. wt. = the initial weight of the levothyroxine USP standard in mg

1.0283 = conversion of levothyroxine into levothyroxine sodium

P = the purity of the levothyroxine Na USP standard (% pursity/100%)

100 is the dilution of the test solution

Area ref std I is the area of the levothyroxine in the standard reference solution I

A = is the initial weight of levothyroxine Na in mg represented by the sample weight.

This is calculated by using this equation: = $\frac{\text{sample weight (g) } \text{X claim T4 in mcg}}{0.1450 \text{g X } 100 \text{ mcg/mg}}$

2000 is the dilution of the reference solution.

Results of the test are shown in Figures 6A and 6B. Figure 6A shows an example of a chromatogram of Standard Reference Solution II, with exemplary peaks at about 5.4 for

diiodo-l-thyronine, 8.4 for liothryonine, 12.8 for levothyroxine, 19.3 for triiodo thyroacetic acid, and 21.9 for tetraiodo thyroacetic acid. Figure 6B shows results of an experimental sample of levothyroxine sodium, made in accordance with this invention. As can be seen, the sample had substantially only levothyroxine, with insignificant impurities.

Example 6 Liothyronine (T3) Tests

The following preferred method for testing for Triiodothyronine is sometimes referenced herein as method number: QC-001

Table 11 - QC - 001 T3 Test Procedure

Method Reference

Chromatographic

Conditions:

Mobile Phase:

Column:

Flow Rate: **Detector:**

Injection Volume:

System Suitability:

USP 24 p. 968-970

65:35:0.05 H₂O:CACN:H₃PO₄ degassed and filtered; mobile phase composition may be altered to achieve a satisfactory resolution

factor.

CN, 4.6 mm x 25 to 30 cm 2.0 minute/minute

Deuterium, set at 225 nm

100 uL Chromatograph 5 replicate injections of the standard preparation.

Record the peak responses as directed under "Procedure". RSD for the standard replicates must not be more than 2.0% 1.0

for T₄ Calculate the resolution factor (R) on one of the five 2.0 replicates. The R value must be greater than or equal to

proceed. See Method QC-009.

Standard **Preparation:**

Accurately weigh 25 mg of USP Levothyroxine RS and transfer to a clear 250-mlL volumetric flask. Pipette 87.5 ml minute of acetonitrile in the flask. Swirl and then sonicate for less than a minute. Add portions of HPLC grade water to the flask with swirling and sonicating until the material has gone into solution. Be sure that there is no particulate material present. Do not dilute to volume at this point. The solution may be cold. Place into a room temperature water bath for ten minutes to allow the sample to warm to ambient temperature. Dilute to volume with HPLC grade water. Mix well. Label this solution as stock T₄. The concentration of T₄ is about 100 μg/ml.

Also dissolve an accurately weighed quantity of USP Liothyronine RS to yield about 100 µg/minute, done as above with USP Levothyroxine RS. Label this solution as stock T₃-A.

Stock Standard dilution:

Pipette 10.0 ml stock T₃-A into a 500-mlL Type A volumetric 1.

flask.

- Dilute to volume with Mobile Phase for a concentration of 2. about 2 ug/ml. Mix well and label this solution as stock std. c-
- Pipette 50.0 ml each from the T₄ and T₃ stock standards and 3. transfer into 500-mlL Type A volumetric flask.

Dilute to volume with mobile phase and mix well. Label this standard as T_3/T_4 working standard. The concentration of the working standard should be about 0.2 μ g/ml T₃ and 10.0 μ g/ml T₄.

Assay Preparation:

Weigh and crush not less than the specified tablet quantity and calculate the average tablet weight. Tare a polypropylene weigh boat.

Accurately weigh (to 0.1 mg) a portion of the powder into the tared weigh boat using a preconditioned stainless steel scoop or spatula (either Teflon coated or uncoated). The spatula or scoop is preconditioned by dipping it into the power. Use the Sample Calculation below to achieve 50 ml of a 10 μ g/ml assay solution.

Record the sample weight taken. Carefully transfer the sample into an Erlenmeyer flask, reweigh the weigh boat and subtract the residual weight from the weight taken to obtain the actual sample weight. Pipette 50 ml of mobile phase into the flask. Cover the flask with parafilm, sonicate for approximately 10 seconds and vortex for approximately 35 seconds at a speed of 6 or greater. Observe sample preparation, and if clumping is noted, repeat the sonication and/or vortex steps. Centrifuge (~3,000 rpm) for NLT 1 minute until a clear supernatant is achieved. Transfer a portion of the supernatant to an autosampler vial.

For In-Process granulation analysis, use the theoretical tablet weight (0.1455 g) in place of (weight of tablets/number of tablets) in the formula below.

Note

Analyst must keep all materials used in performing this assay until the results are calculated, checked, and recorded, and it is verified that the test is acceptable. This includes the crush, the Erlenmeyer flask with Mobile Phase, the centrifuge tube and the autosampler vial. If the analysis is running overnight, these materials should be sealed with parafilm and saved until results are obtained and the result is deemed acceptable.

Sample Calculation:

Number of Tablets

Weight of Tablets X 10 μ g/ml X 50 ml = Amount to Weigh Dose (µg)

Out per Assay

Procedure:

Separately inject 100 µl of the sample onto the column.

Record the responses of the analyte peak.

Calculations:

Calculate the content of liothyronine using the following

formula:

Sample T₃ Area

X (ml)

Std T_3 conc. (μg) x 50 ml = μg T_3

Standard T₃ Area

The specification is NGT 2.0% liothyronine calculated as follows:

Amt T_3 Assayed (µg) x 100 = % LIOTHYRONINE Amt T₄ Assayed (µg)*

*This number is calculated using the T₄ potency results as follows:

Std T_4 conc. (µg) x 50 ml x $798.86 = \mu g T_4$ Sample T₄ Area \mathbf{X} Standard T₄ Area (ml)

where 798.86 = molecular weight of Levothyroxine as the Sodium Salt 776.87 = molecular weight of Levothyroxine Standard Base

NOTE:

If the single active ingredient comprises 50% or more, by weight, of

the dosage unit, use Method A; otherwise use Method B.

METHOD:

USP 24 <905> pp. 2000-2002.

METHOD A:

Content Uniformity as Determined by Weight Variation:

Weight accurately 10 tablets, individually. From the results of the average potency of the active ingredient determined for the product (using the assay methods as stated in the individual monograph) calculate the content of active ingredient in each of the 10 tablets.

CALCULATION

Individual = (Avg. potency) (Individual Wt.)

S:

Potency

Avg. tablet weight

NOTE:

If the active ingredient(s) are less than 50% by weight of the tablet content, refer to the individual test method for potency for those

products.

METHOD B:

Content Uniformity as Determined by Direct Assay of Active

Ingredient:

For Levothyroxine Sodium tablets the following procedure is

followed.

Individually weigh 10 tablets. Place the 10 individual tablets into round bottomed test tubes or flasks of the appropriate size as outlined in the chart below. Add the appropriate volume of extraction mobile comprised of water, acetonitrile, and phosphoric acid (65:35::0.05) to each test tube or flask as indicated in the chart below. Note: All test tubes are to be capped with screw on caps and all flasks are to be covered with parafilm as soon as mobile phase is

40

added. Allow to stand at room temperature until the tablet completely crumbles. Secure all samples in a wrist action shaker. Test tubes are to be secured horizontally. Erlenmeyer flasks are to be secured vertically. Set the wrist shaker to the setting specified in the table. Shake sample for 3 minutes. Transfer about 10 ml of the sample preparation (or the entirety of smaller samples) to a centrifuge tube. Centrifuge samples for 1 minute at about 3000 rpm. Transfer samples to autosampler vials using disposable Pasteur pipettes.

Utilize the HPLC Method for levothyroxine separation (AM-003) for obtaining dosage uniformity, sample area, and standard area results.

CALCULATIONS Dosage Uniformity Result (% Label Claim)

798.86 X Area of Sample X Conc. of Std. X 100 = % Potency
776.87 Area of Std. Conc. Of Sample (see chart below)

SPECIFICATIONS FOR METHOD A OR METHOD B

S-1 The % active ingredient for 10 tablets tested must fall in the range of 85.0% - 115.0% and the RSD of the 10 tablets must not exceed 6.0%.

NOTE: If 1 unit in S-1 fails to meet either of the specifications, but is no outside the range of 75% - 125%, test 20 more units and proceed to S-2.

S-2 When n = 30, NGT one unit outside 85.0-115.0%, none outside 75.0-125.0% and RSD NGT 7.80%.

Results:

Results for a variety of dosages, using a sample size of 120 pills, are shown in Table 12:

Table 12 - Dosage Consistency - 120 pill samples

Dosage		25 μg	100 μg	300 μg
Label	Claim	103.5 %	103.1 %	102.9 %
Activity				
High		109.1 %	104.8 %	108.8%
Low		98.0 %	100.7 %	96.5 %
RSD		< 2.0 %	0.9 %	2.2 %

The results confirm an extremely low amount of variability in active material content between the 120 pills tested. Generally the variability for a 120 pill sample should be between about 90 and about 110 % of claimed activity, preferably between about 95 % and about 105%. The RSD for a 120 pill sample should not be greater than 5%, and preferably is less than 3%.

Example 7

Levothyroxine Sodium Release Specification and Analytical Methods

The specifications for levothyroxine sodium tablets are stated in: USP 24 page 969-970 and Supplement 1 page 2638. The additional requirements are in place to ensure the tablet appearance, for the individual tablet strengths, is correct and the physical characteristics ensure a quality tablet.

A. Analytical Methods:

All the test methods utilized in the testing of levothyroxine sodium meet USP system suitability requirements. All Levoxyl® batches are tested for conformance to the following specifications. The **Table 13** below lists the test parameter, specification and the test method employed.

Table 13 – USP Specifications

Test Parameter	Specification	Test
	1	Method
Tablet Potency	90.0-110.0% label claim *	AM-003
Tablet	NULT 7580% label claim dissoluted in 145 minutes	AM-004B
Dissolution		
Liothyronine	NGT 2.0%	QC-001
Content		
TLC	Compares to Standard	RM-054
Identification		
Uniformity of	S-1: 85.0-115.0% RSD NGT 6.0% n=10	QC-003
Dosage Units	(if NGT 1 unit fails, but no unit is outside range of	
	75.0-125.0% or if RSD fails proceed to S-2)	
	S-2: When n=30 NGT 1 unit outside 85.0-115.0%,	
	none outside 75.0-125.0% and RSD NGT 7.8%	

Additional Requirements:

Test Parameter	Specification	Test
1000 1 111 1111		Method
Tablet Hardness	6.0-14.0 KP	QC-005
Tablet Weight	142.0-149.0 mg	QC-007
Tablet	Color, imprint, score and shape conform to specific	QC-008
Appearance	tablet parameters as specified for the individual	
	strengths	

Example 8

Bioavailability determination of Two Levothyroxine formulations

The following example was performed along lines of a 1999 FDA publication entitled In-Vivo Pharmacokinetics and Bioavailability Studies and In-Vitro Dissolution Testing for Levothyroxine Sodium Tablets. The example includes the following two studies.

Study 1. Single-Dose Bioavailability Study

The objective of the study was to determine the bioavailability of Levoxyl[®] relative to a reference (oral solution) under fasting conditions.

Study 2: Dosage-Form Equivalence Study

The objective of the study was to determine the dosage-form bioequivalence between three different strengths of Levoxyl® tablets (low, middle and high range).

Study Objective:

To determine the bioavailability of levothyroxine sodium (Levoxyl®) 0.3 mg tablets manufactured by JONES PHARMA INCORPORATED, relative to Knoll Pharmaceutical Company's levothyroxine sodium 200 μ g (Synthroid®) injection given as an oral solution following a single 0.6mg dose.

Study Methodology:

Single-dose, randomized, open-label, two-way crossover design

Protocol Reference:

Guidance for Industry: In Vivo Pharmacokinetics and Bioavailability Studies and In Vitro Dissolution Testing for Levothyroxine Sodium Tablets (June 1999).

Number of Subjects:

A total of 30 subjects were enrolled in the study, and 27 subjects completed the study. All 30 subjects were included in the safety analysis and 27 subjects who completed the study were included in the pharmacokinetic analyses.

Diagnosis and Main Criteria for Inclusion:

All subjects enrolled in this study were judged by the investigator to be healthy volunteers who met all inclusion and exclusion criteria.

Test Product, Dose, Duration, Mode of Administration, and Batch Number:

The test product was levothyroxine sodium (Levoxyl®) 2 X 0.3mg tablets administered as a single oral dose. The batch number utilized in this study was TT26.

Reference Product, Dose, Duration, Mode of Administration, and Batch Number:

The reference product was levothyroxine sodium (Synthroid®) $2 \times 500 \,\mu g$ injection vials (Knoll Pharmaceutical Company) reconstituted and $600 \,\mu g$ administered orally. The reference product used was the $500 \,\mu g$ injection instead of $200 \,\mu g$ due to the unavailability of sufficient quantities of $200 \,\mu g$ injection to conduct the study. The batch number utilized in this study was 80130028.

Criteria for Evaluation:

Pharmacokinetics:

Pharmacokinetic assessment consisted of the determination of total (bound + free) T4 and T3 concentrations in serum at specified time points following drug administration. From the serum data, the parameters AUC(0-t), Cmax, and Tmax were calculated.

Safety:

Safety assessment included vital signs, clinical laboratory evaluation (including TSH), physical examination, and adverse events (AEs) assessment.

Statistical Methods

Pharmacokinetics:

Descriptive statistics (arithmetic mean, standard deviation (SD), coefficient of variation (CV), standard error of the mean (SE), sample size (N), minimum, and maximum) were provided for all pharmacokinetic parameters. The effects of baseline and baseline-by treatment interaction were evaluated using a parametric (normal-theory) general linear model (ANCOVA) with treatment, period, sequence, subject within sequence, In(baseline), and interaction between In (baseline) and treatment as factors, applied to the In-transformed pharmacokinetic parameters and Cmax. In the absence of significant In(baseline) and interaction between In(baseline) and treatment, these parameters were removed from the model. The two one-sided hypotheses were tested at the 5% level of significance for In[AUC(0-t)] and In(Cmax) by constructing 90% confidence intervals for the ratio of Treatment A to Treatment

Safety:

Frequency counts of all subjects enrolled in the study, completing the study, and discontinuing early were tabulated. Descriptive statistics were calculated for continuous demographic variables, and frequency counts were tabulated for categorical demographic variables for each gender and overall.

AEs were coded using the 5th Edition of the COSTART dictionary. AEs were summarized by the number and percentage of subjects experiencing each coded event. A summary of the total number of each coded event and as a percentage of total AEs was also provided.

Laboratory summary tables included descriptive statistics for continuous serum chemistry and hematology results at each time point. Out-of-range values were listed by subject for each laboratory parameter.

Descriptive statistics for vital sign measurements at each time point and change from baseline to each time point were calculated by treatment group. Shifts from screening to post study results for physical examinations were tabulated.

Pharmacokinetic Results - T4:

ANCOVA analyses indicated that the effects of In(baseline) and interaction between In(baseline) and treatment were not significant. Thus, these factors were removed from the

general linear model and an ANOVA with treatment, period, sequence, and subject within sequence was applied to the In-transformed Cmax and AUC(0-t) parameters. The arithmetic means of serum T4 pharmacokinetic parameters for Treatments A and B and the statistical comparison for In-transformed parameters are summarized in the following table.

Summary of the Pharmacokinetic Parameters of Serum T4 for Treatments A and B

	Treatment A*		Treatment B	**		
Pharmacokinetic	Arithmetic		Arithmetic		90%	% Mean
Parameters	Mean	SD	Mean	SD	CI	Ratio
Cmax (uµg/dlL)	14.48	1.93	15.09	2.10		·
Tmax (hr)	2.17	0.810	1.62	0.502		
AUC(0-t) (μg*hr/dl)	524.3	59.07	529.3	62.83		
In (Cmax)	2.663	0.1434	2.705	0.1339	91.1- 98.1	94.5
In [AUC(0-t)]	6.256	0.1167	6.265	0.1169	95.6- 100.5	98.0

^{*} Treatment A = 2 X 0.3mg Levoxyl® Tablets: test

ANCOVA analyses indicated that the effects of In(baseline) and interaction between In(baseline) and treatment were not significant and were removed from the ANOVA model, except for In(baseline) on In(Cmax) which was significant and was kept in the model. An ANOVA with treatment, period, sequence, and subject within sequence, and In(baseline), when significant, was applied to the In-transformed Cmax and AUC(0-t) parameters. The arithmetic means of serum T3 pharmacokinetic parameters for Treatments A and B and the statistical comparison for In-transformed parameters are summarized in the following table.

^{**}Treatment B = 0.6mg Synthroid Reconstitute Oral Solution: reference Pharmacokinetics Results – T3:

Summary of the Pharmacokinetic Parameters of Serum T3 for Treatments A and B

	Treatment A	*	Treatment B**			·
Pharmacokinetic	Arithmetic		Arithmetic		90%	% Mean
Parameters	Mean	SD	Mean	SD	CI	Ratio
Cmax (ng/ml)	1.165	0.156	1.140	0.119		
Tmax (hr)	14.6	15.2	16.3	17.0		
AUC(0-t)	51.25	6.163	50.07	5.311		
(ng*hr/ml)						
In (Cmax)	0.1444	0.1289	0.1255	0.1034	96.8-	100.0
		ŀ			103.4	
In [AUC(0-t)]	3.930	0.1209	3.908	0.1059	97.7-	100.7
III [120 0 (0 t)]					103.8	

^{*} Treatment A = 2 X 0.3mg Levoxyl® Tablets: test

Comparison of total T4 and T3 pharmacokinetics following administration of Levoxyl® (Treatment A, test formulation) and Synthroid (Treatment B, reference formulation) indicated that the test formulation met the requirements for bioequivalence with the reference formulation.

The 90% confidence intervals for the comparisons of In(Cmax) and In[AUC(0-t)] for T4 and T3 were within the 80% to 125% range required for bioequivalence.

In regard to subject safety, both treatments appeared to be equally safe and well tolerated.

Example 9

Bioavailability Study To Assess Single Dose Bioequivalence of Three Strengths of Levothyroxine

The following example was performed to determine the dosage-form bioequivalence between three different strengths of levothyroxine sodium (Levoxyl[®]) tablets following a single 600 mcg dose.

Study Methodology:

Single-dose, randomized, open-label, three-way crossover design.

Protocol Reference:

^{**}Treatment B = 0.6mg Synthroid Reconstitute Oral Solution: reference

Guidance for Industry: In Vivo Pharmacokinetics and Bioavailability Studies and In Vitro Dissolution Testing for Levothyroxine Sodium Tablets (June 1999). This protocol was submitted in IND 59,177.

Number of Subjects:

A total of 28 subjects were enrolled in the study, and 24 subjects completed the study. All 28 subjects were included in the safety analysis and 24 subjects who completed the study were included in the pharmacokinetic analyses.

Diagnosis and Main Criteria for Inclusion:

All subjects enrolled in this study were judged by the investigator to be healthy volunteers who met all inclusion and exclusion criteria.

Test Product, Dose, Duration, Mode of Administration, and Batch Number:

Subjects randomized to Treatment A received a single oral dose of 12 X 50 mcg levothyroxine sodium (Levoxyl®) tablets, Lot No. TT24. Subjects randomized to Treatment B received 6 X 100 mcg levothyroxine sodium (Levoxyl®) tablets, Lot No.TT25. Subjects randomized to Treatment C received 2 X 300 mcg levothyroxine sodium (Levoxyl®) tablets, Lot No. TT26. Test products were manufactured by JMI-Daniels, a subsidiary of Jones Pharma Incorporated.

Pharmacokinetics:

Pharmacokinetic assessment consisted of the determination of total (bound + free) T4 and T3 concentrations in serum at specified time points following drug administration. From the serum data, the parameters AUC(0-t), Cmax, and Tmax were calculated.

Safety:

Safety assessment included monitoring of sitting vital signs, clinical laboratory measurements, thyroid-stimulating hormone (TSH), physical examination, electrocardiogram (ECG), and adverse events (AEs).

Statistical Methods.

Pharmacokinetics:

Descriptive statistics (arithmetic mean, standard deviation (SD), coefficient of variation (CV), standard error of the mean (SEM), sample size (N), minimum, and maximum) were provided for all pharmacokinetic parameters. A parametric (normal-theory) general linear model with treatment, period, sequence, and subject within sequence as factors was applied to the In-transformed Cmax and AUC(0-t). The two one-sided hypotheses were tested at the 5% level of significance for In[AUC(0-t)] and In(Cmax) by constructing 90% confidence intervals for the ratios of Treatment A to Treatment B, Treatment A to Treatment C, and Treatment B to Treatment C.

Safety:

Frequency counts of all subjects enrolled in the study, completing the study, and discontinuing early were tabulated. Descriptive statistics were calculated for continuous demographic variables, and frequency counts were tabulated for categorical demographic variables for each gender and overall.

AEs were coded using the 5th Edition of the COSTART dictionary. AEs were summarized by the number and percentage of subjects experiencing each coded event. A summary of the total number of each coded event and as a percentage of total AEs was also provided. Laboratory summary tables included descriptive statistics for continuous serum chemistry and hematology results at each time point. Out-of-range values were listed by subject for each laboratory parameter. Descriptive statistics for vital sign measurements at each time point and change from baseline to each time point were calculated by treatment group. Shifts from screening to post study results for physical examinations were tabulated.

Pharmacokinetic Resulta – T4:

The arithmetic means of serum T4 pharmacokinetic parameters for Treatments A and B and the statistical comparison for the In-transformed parameters are summarized in the following table.

Summary of the Pharmacokinetic Parameters
of Serum T4 for Treatments A and B

	Treatment A* Tr		Treatment B**			
Pharmacokinetic	Arithmetic		Arithmetic		90% CI	% Mean
Parameters	Mean	SD	Mean	SD	<u> </u>	Ratio
Cmax (µg/dl)	13.70	1.82	14.13	1.48		
Tmax (hr)	2.37	1.04	1.98	0.827		
AUC(0-t)	509.0	58.36	528.3	72.41		
(µg*hr/dl)						
In (Cmax)	2.609	0.1378	2.643	0.1095	93.6-	96.8
					100.1	<u> </u>
In [AUC(0-t)]	6.226	0.1200	6.261	0.1379	93.4-	96.7
					100.0	

^{*} Treatment $A = 12 \times 50 \text{ mcg Levoxyl}^{\text{@}}$ Tablets **Treatment $B = 6 \times 100 \text{ mcg Levoxyl}^{\text{@}}$ Tablets

The arithmetic means of serum T4 pharmacokinetic parameters for Treatments A and C and the statistical comparison for the In-transformed parameters are summarized in the following table.

Summary of the Pharmacokinetic Parameters of Serum T4 for Treatments A and C

	Treatment A*		Treatment C*	: *		
Pharmacokinetic	Arithmetic		Arithmetic		90% CI	%
Parameters	Mean	SD	Mean	SD		Mean
						Ratio
Cmax (µg/dl)	13.70	1.82	14.15	1.50		
Tmax (hr)	2.37	1.04	2.40	1.09		
AUC(0-t)	509.0	58.36	528.7	57.13		
(μg*hr/dL1)						
In (Cmax)	2.609	0.1378	2.644	0.1085	93.6-	96.8
					100.1	
In [AUC(0-t)]	6.226	0.1200	6.265	0.1089	93.1-	96.4
					99.7	

^{*} Treatment A = 12 X 50 mcg Levoxyl[®] Tablets **Treatment C = 2 X 300 mcg Levoxyl[®] Tablets

The arithmetic means of serum T4 pharmacokinetic parameters for Treatments B and C and the statistical comparison for the In-transformed parameters are summarized in the following table.

PCT/US2003/025170

Pharmacokinetic Results – T4 (Continued):

Summary of the Pharmacokinetic Parameters of Serum T4 for Treatments B and C

	Treatment B*		Treatment C**		7	
Pharmacokinetic	Arithmetic		Arithmetic		90% CI	% Mean
Parameters	Mean	SD	Mean	SD		Ratio
Cmax (µg/dl)	14.13	1.48	14.15	1.50		
Tmax (hr)	1.98	0.827	2.40	1.09		
AUC(0-t)	528.3	72.41	528.7	57.13		
(µg*hr/dl)						
In (Cmax)	2.643	0.1095	2.644	0.1085	96.7-	100.0
					103.4	
In [AUC(0-t)]	6.261	0.1379	6.265	0.1089	96.4-	99.7
					103.1	

^{*} Treatment $B = 6 \times 100 \text{ mcg Levoxyl}^{\$}$ Tablets **Treatment $C = 2 \times 300 \text{ mcg Levoxyl}^{\$}$ Tablets

Pharmacokinetic Results – T3:

The arithmetic means of serum T3 pharmacokinetic parameters for Treatments A and B and the statistical comparison for the In-transformed parameters are summarized in the following table.

Summary of the Pharmacokinetic Parameters of Serum T3 for Treatments A and B

	Treatment	A*	Treatment 1	B**		
Pharmacokinetic	Arithmetic		Arithmetic		90% CI	% Mean
Parameters	Mean	SD	Mean	SD]	Ratio
Cmax (ng/ml)	1.173	0.138	1.142	0.133		
Tmax (hr)	12.9	19.0	12.1	16.1		
AUC(0-t)	49.43	6.872	50.35	8.994		
(ng*hr/ml)						
In (Cmax)	0.1523	0.1226	0.1264	0.1194	98.1-	102.6
					107.3	1
In [AUC(0-t)]	3.890	0.1538	3.905	0.1731	93.1-	98.5
	<u> </u>				104.3	

^{*} Treatment A = 12 X 50 mcg Levoxyl[®] Tablets **Treatment B = 6 X 100 mcg Levoxyl[®] Tablets

The arithmetic means of serum T3 pharmacokinetic parameters for Treatments A and C and the statistical comparison for the In-transformed parameters are summarized in the following table.

Pharmacokinetic Results – T3 (Continued):

Summary of the Pharmacokinetic Parameters of Serum T3 for Treatments A and C

	Treat	ment A*	Treati	ment C**		
Pharmacokinetic	Arithmeti		Arithmeti	Arithmeti		% Mean
Parameters	C	SD	C	SD		Ratio
	Mean		Mean			
Cmax (ng/ml)	1.173	0.138	1.167	0.169	0.169	
Tmax (hr)	12.9	19.0	11.5	16.4		
AUC(0-t)	49.43	6.872	49.36	7.680		
(ng*hr/ml)				<u>L</u>		,
In (Cmax)	0.1523	0.1226	0.1437	0.1491	96.3-105.4	100.7
In [AUC(0-t)]	3.890	0.1538	3.886	0.1705	94.7-106.2	100.3

^{*} Treatment A = 12 X 50 mcg Levoxyl® Tablets

The arithmetic means of serum T3 pharmacokinetic parameters for Treatments B and C and the statistical comparison for the In-transformed parameters are summarized in the following table.

Summary of the Pharmacokinetic Parameters of Serum T3 for Treatments B and C

	Treatment B*		Treatment C*	*		
Pharmacokinetic Parameters	Arithmetic Mean	SD	Arithmetic Mean	SD	90% CI	% Mean Ratio
Cmax (ng/ml)	1.142	0.133	1.167	0.169		
Tmax (hr)	12.1	16.1	11.5	16.4		
AUC(0-t) (ng*hr/ml)	50.35	8.994	49.36	7.680		
In (Cmax)	0.1264	0.1194	0.1437	0.1491	93.9- 102.7	98.2
In [AUC(0-t)]	3.905	0.1731	3.886	0.1705	96.2- 107.8	101.8

^{*} Treatment B = 6 X 100 mcg Levoxyl® Tablets

^{**}Treatment C = 2 X 300 mcg Levoxyl® Tablets

^{**}Treatment $C = 2 \times 300 \text{ mcg Levoxyl}^{\otimes}$ Tablets

Safety Results:

There was a total of 59 treatment-emergent AEs reported by 15 (54%) of the 28 subjects dosed with study treatment. Incidence of AEs was similar across treatments. Headache was the most frequently reported event. The majority of the AEs were mild in intensity. There was one subject who experienced a serious adverse event of chest pain, considered by the Investigator to be unrelated to treatment. No trends were noted in vital signs, clinical laboratory results, or ECGs to suggest treatment-related differences.

Comparison of total T4 and T3 pharmacokinetics following administration of 12 X 50 mcg Levoxyl[®] tablets (Treatment A) and 6 X 100 mcg Levoxyl[®] tablets (Treatment B) indicated that the two formulations met the requirements for bioequivalence. The 90% confidence intervals for the comparisons of In(Cmax) and In[AUC(0-t)] for T4 and T3 were within the 80% to 125% range required for bioequivalence.

Comparison of total T4 and T3 pharmacokinetics following administration of 12 X 50 mcg Levoxyl[®] tablets (Treatment A) and 2 X 300 mcg Levoxyl[®] tablets (Treatment C) indicated that the two formulations met the requirements for bioequivalence. The 90% confidence intervals for the comparisons of In(Cmax) and In[AUC(0-t)] for T4 and T3 were within the 80% to 125% range required for bioequivalence.

Comparison of total T4 and T3 pharmacokinetics following administration of 6 X 100 mcg Levoxyl[®] tablets (Treatment B) and 2 X 300 mcg Levoxyl[®] tablets (Treatment C) indicated that the two formulations met the requirements for bioequivalence. The 90% confidence intervals for the comparisons of In(Cmax) and In[AUC(0-t)] for T4 and T3 were within the 80% to 125% range required for bioequivalence.

The test formulations appear to be safe and generally well tolerated when given to healthy adult volunteers.

Example 10

Levothyroxine sodium (Levoxyl®) Tablet Compositions

The following preferred levothroxine sodium compositions in tablet form were made along lines disclosed herein.

Levoxyl® 25 mcg Tablets Color: orange; Markings: (front) dp/25 (back) LEVOXYL®

Component	Quantity in mg/Tablet
Levothyroxine Sodium, USP	0.025 mg
β- Form Microcrystalline Cellulose, NF (Ceolus)	108.529 mg
Croscarmellose Sodium, NF (Ac-di-sol)	35.079 mg
FD&C Yellow # 6	0.352 mg
Magnesium Stearate, NF	1.018 mg

Levoxyl® 50 mcg Tablets Color: white; Markings: (front) dp/50 (back) LEVOXYL®

Component	Quantity in mg/Tablet
Levothyroxine Sodium, USP	0.050 mg
β- Form Microcrystalline Cellulose, NF (Ceolus)	108.856 mg
Croscarmellose Sodium, NF (Ac-di-sol)	35.079 mg
Magnesium Stearate, NF	1.018 mg

Levoxyl® 75 mcg Tablets Color: purple; Markings: (front) dp/75 (back) LEVOXYL®

Component	Quantity in mg/Tablet
Levothyroxine Sodium, USP	0.075 mg
β- Form Microcrystalline Cellulose, NF (Ceolus)	108.438 mg
Croscarmellose Sodium, NF (Ac-di-sol)	35.079 mg
Lake Blend # LB-1609	0.383 mg
(Blend of D&C Red # 30 and FD&C Blue # 1)	
Magnesium Stearate, NF	1.018 mg

Levoxyl® 88 mcg Tablets Color: olive; Markings: (front) dp/88 (back) LEVOXYL®

Component	Quantity in mg/Tablet
Levothyroxine Sodium, USP	0.088 mg
β- Form Microcrystalline Cellulose, NF (Ceolus)	108.311 mg
Croscarmellose Sodium, NF (Ac-di-sol)	35.079 mg
Lake Blend # LB-1607	0.507 mg
(Blend of FD&C Yellow # 6, D&C Red # 30 and	
FD&C Blue # 1)	
Magnesium Stearate, NF	1.018 mg

Levoxyl® 100 mcg Tablets Color: yellow; Markings: (front) dp/100 (back) LEVOXYL®

Component	Quantity in mg/Tablet
Levothyroxine Sodium, USP	0.100 mg
β- Form Microcrystalline Cellulose, NF (Ceolus)	108.406 mg
Croscarmellose Sodium, NF (Ac-di-sol)	35.079 mg
Lake Blend # LB-282 (Blend of FD&C Yellow #	0.388 mg
6 and D&C Yellow # 10)	
Magnesium Stearate, NF	1.018 mg

Levoxyl® 112 mcg Tablets Color: rose; Markings: (front) dp/112 (back) LEVOXYL®

Component	Quantity in mg/Tablet
Levothyroxine Sodium, USP	0.112 mg
β- Form Microcrystalline Cellulose, NF (Ceolus)	107.711 mg
Croscarmellose Sodium, NF (Ac-di-sol)	35.079 mg
Lake Blend # LB-1610 (Blend of FD&C Yellow	1.080 mg
# 6, D&C Red # 30 and FD&C Red # 40)	
Magnesium Stearate, NF	1.018 mg

Levoxyl® 125 mcg Tablets Color: brown; Markings: (front) dp/125 (back) LEVOXYL®

Component	Quantity in mg/Tablet
Levothyroxine Sodium, USP	0.125 mg
β- Form Microcrystalline Cellulose, NF (Ceolus)	108.701 mg
Croscarmellose Sodium, NF (Ac-di-sol)	35.079 mg
Lake Blend # LB-1617 (Blend of D&C Yellow #	0.080 mg
10 and FD&C Red # 40)	
Magnesium Stearate, NF	1.018 mg

Levoxyl® 137 mcg Tablets Color: dark blue; Markings: (front) dp/137 (back) LEVOXYL®

Component	Quantity in mg/Tablet
Levothyroxine Sodium, USP	0.137 mg
β- Form Microcrystalline Cellulose, NF (Ceolus)	108.288 mg
Croscarmellose Sodium, NF (Ac-di-sol)	35.079 mg
FD&C Blue # 1	0.478 mg
Magnesium Stearate, NF	1.018 mg

Levoxyl® 150 mcg Tablets Color: blue; Markings: (front) dp/150 (back) LEVOXYL®

Component	Quantity in mg/Tablet
Levothyroxine Sodium, USP	0.150 mg
β- Form Microcrystalline Cellulose, NF (Ceolus)	108.645 mg
Croscarmellose Sodium, NF (Ac-di-sol)	35.079 mg
Lake Blend # LB-1612 (Blend of D&C Red # 30	0.108 mg
and FD&C Blue # 1)	
Magnesium Stearate, NF	1.018 mg

Levoxyl® 175 mcg Tablets Color: turquoise; Markings: (front) dp/175 (back) LEVOXYL®

Component	Quantity in mg/Tablet
Levothyroxine Sodium, USP	0.175 mg
β- Form Microcrystalline Cellulose, NF (Ceolus)	108.397 mg
Croscarmellose Sodium, NF (Ac-di-sol)	35.079 mg
Lake Blend # LB-334 (Blend of D&C Yellow #	0.334 mg
10, and FD&C Blue # 1)	
Magnesium Stearate, NF	1.018 mg

Levoxyl® 200 mcg Tablets Color: pink; Markings: (front) dp/200 (back) LEVOXYL®

Component	Quantity in mg/Tablet
Levothyroxine Sodium, USP	0.200 mg
β- Form Microcrystalline Cellulose, NF (Ceolus)	108.515 mg
Croscarmellose Sodium, NF (Ac-di-sol)	35.079 mg
Lake Blend # LB-1613 (Blend of D&C Yellow #	0.188 mg
10 and D&C Red # 30)	
Magnesium Stearate, NF	1.018 mg

Levoxyl® 300 mcg Tablets Color: green; Markings: (front) dp/300 (back) LEVOXYL®

Component	Quantity in mg/Tablet
Levothyroxine Sodium, USP	0.300 mg
β- Form Microcrystalline Cellulose, NF (Ceolus)	108.451 mg
Croscarmellose Sodium, NF (Ac-di-sol)	35.079 mg
Lake Blend # LB-1614 (Blend of FD&C Yellow	0.142 mg
# 6, D&C Yellow # 10 and FD&C Blue # 1)	
Magnesium Stearate, NF	1.018 mg

WO 2004/014318 PCT/US2003/025170 56

While the present invention has been described in the context of preferred embodiments and examples, it will be readily apparent to those skilled in the art that other modifications and variations can be made therein without departing from the spirit or scope of the present invention. For example, the active moiety levothyroxine sodium can be changed to liothyronine sodium and similar products and still be considered as part of the claimed invention. Accordingly, it is not Intended that the present invention be limited to the specifics of the foregoing description of the preferred embodiments and examples, but rather as being limited only by the scope of the invention as defined in the claims appended hereto.

Having described our invention, we claim:

- 1. A pharmaceutical composition comprising a levothyroxine salt and a pharmaceutically acceptable carrier, wherein the pharmaceutical composition exhibits a levothyroxine (T4) plasma Cmax of between from about 10 μ g/dl to about 20 μ g/dl as determined by a standard Cmax test.
- 2. The composition of claim 1, wherein the composition exhibits a levothyroxine (T4) plasma Cmax of between from about 12 μ g/dl to about 16 μ g/dl as determined by the standard Cmax test.
- 3. The composition of claim 1, wherein the ln(Cmax) of the levothyroxine (T4) plasma level is between from about 1 to about 3.
- 4. The composition of claim 2, wherein the ln(Cmax) of the levothyroxine (T4) plasma level is between from about 1 to about 3.
- 5. The composition of claim 1, wherein the composition exhibits a triiodothyronine (T3) plasma Cmax of between from about 0.1 ng/ml to about 10ng/ml as determined by the standard Cmax test.
- 6. The composition of claim 1, wherein the composition exhibits a triiodothyronine (T3) plasma Cmax of between from about 0.5 ng/ml to about 2ng/ml as determined by the standard Cmax test.
- 7. The composition of claim 1, wherein the ln(Cmax) is between from about 0.01 to about 5.
- 8. The composition of claim 1, wherein the composition exhibits a levothyroxine (T4) plasma Tmax of between from about 0.5 hours to about 5 hours as determined by a standard Tmax test.
- 9. The composition of claim 1, wherein the composition exhibits a levothyroxine (T4) plasma Tmax of between from about 1 hour to about 3 hours as determined by the standard Tmax test.

- 10. The composition of claim 1, wherein the composition exhibits a triiodothyronine (T3) plasma Tmax of between from about 10 hours to about 20 hours as determined by the standard Tmax test.
- 11. The composition of claim 1, wherein the composition exhibits a triiodothyronine (T3) plasma Tmax of between from about 12 hours to about 16 hours as determined by the standard Tmax test.
- 12. The composition of any of claims 1, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μg-hour/dl to about 600 μg-hour/dl.
- 13. The composition of any of claims 2, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μg-hour/dl to about 600 μg-hour/dl.
- 14. The composition of any of claims 3, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μg-hour/dl to about 600 μg-hour/dl.
- 15. The composition of any of claims 4, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 µg-hour/dl to about 600 µg-hour/dl.
- 16. The composition of any of claims 5, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μg-hour/dl to about 600 μg-hour/dl.
- 17. The composition of any of claims 6, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 µg-hour/dl to about 600 µg-hour/dl.
- 18. The composition of any of claims 7, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μg-hour/dl to about 600 μg-hour/dl.
- 19. The composition of any of claims 8, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μg-hour/dl to about 600 μg-hour/dl.
- 20. The composition of any of claims 9, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μg-hour/dl to about 600 μg-hour/dl.

- 21. The composition of any of claims 10, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μ g-hour/dl to about 600 μ g-hour/dl.
- 22. The composition of claim 12, wherein the composition features a levothyroxine (T4) AUC (0-t) of between from about 500 μg-hour/dl to about 550 μg-hour/dl.
- 23. The composition of claim 12, wherein the ln[AUC(0-t)] is between from about 1 to about 10.
- 24. The composition of claim 12, wherein the composition features a triiodothyronine (T3) AUC (0-t) of between from about 10 ng-hour/ml to about 100 ng-hour/ml.
- 25. The composition of claim 12, wherein the composition features a triiodothyronine (T3) AUC (0-t) of between from about 20 ng-hour/ml to about 60 ng-hour/ml.
- 26. The composition of claim 12, wherein the ln[AUC(0-t)] is between from about 1 to about 5.
- 27. The composition of claims 1-26, wherein the composition has a post-packaging potency of between from about 90% to about 110% as determined by a standard potency test for at least about 18 months.
- 28. The composition of claims 1-26, wherein the composition has a post-packaging potency of between from about 90% to about 110% as determined by a standard potency test for at least about 24 months.
- 29. An immediate release solid pharmaceutical composition comprising a levothyroxine salt and a pharmaceutically acceptable carrier.
- 30. The composition of claim 29, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.

- 31. The composition of claim 29, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 32. The composition of claims 29, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 5 minutes as determined by the standard dissolution test.
- 33. A stabilized solid pharmaceutical composition comprising a levothyroxine salt and a pharmaceutically acceptable carrier, wherein the levothyroxine loses less than about 0.7% of its activity per month for up to at least about 18 months.
- 34. The composition of claim 33, wherein the levothyroxine loses less than about 0.5% of its activity per month for up to at least about 18 months.
- 35. The composition of claim 34, wherein the levothyroxine loses less than about 0.3% of its activity per month for up to at least about 18 months.
- 36. An immediate release pharmaceutical composition comprising a levothyroxine salt, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 µg-hour/dl to about 600 µg-hour/dl.
- 37. The composition of claim 36, wherein the composition features a levothyroxine (T4) AUC (0-t) of between from about 500 μg-hour/dl to about 550 μg-hour/dl.
- 38. The composition of claims 36, wherein the ln[AUC(0-t)] is between from about 1 to about 10.
- 39. The composition of claims 37, wherein the ln[AUC(0-t)] is between from about 1 to about 10.
- 40. A non-granulated sugar-free, starch-free pharmaceutical composition comprising levothyroxine and a pharmaceutically acceptable carrier, in tablet form.

- 41. A method of stabilizing a pharmaceutically active compound which degrades in the presence of carbohydrates, comprising admixing the compound with a β -sheet form microcellulose.
- 42. The method of claim 41, further comprising mixing the compound and the β sheet form microcellulose with a crosscarmellose salt to form a blend.
- 43. The method of claim 42, further comprising compressing the blend in a ratio of initial to final volume of between about 2:1 to about 5:1 to form the stabilized composition.
- 44. An immediate release pharmaceutical composition comprising a levothyroxine salt, wherein the composition exhibits a triiodothyronine (T3) plasma Cmax of between from about 0.1 ng/ml to about 10 ng/ml as determined by the standard Cmax test.
- 45. The composition of claim 44, wherein the composition exhibits a triiodothyronine (T3) plasma Cmax of between from about 0.5 ng/ml to about 2 ng/ml as determined by the standard Cmax test.
- 46. The composition of claims 44-45, wherein the ln(Cmax) is between from about 0.01 to about 5.
- 47. An immediate release pharmaceutical composition comprising a levothyroxine salt, wherein the composition features a triiodothyronine (T3) AUC (0-t) of between from about 10 ng-hour/ml to about 100 ng-hour/ml.
- 48. The composition of claim 47, wherein the composition features a triiodothyronine (T3) AUC (0-t) of between from about 20 ng-hour/ml to about 60 ng-hour/ml.
- 49. The composition of claims 47, wherein the ln[AUC(0-t)] is between from about 1 to about 5.
- 50. The composition of claims 48, wherein the ln[AUC(0-t)] is between from about 1 to about 5.

- 51. The composition of claims 48, wherein the ln(Cmax) of the levothyroxlne (T4) plasma level is between from about 1 to about 3.
- 52. An immediate release pharmaceutical composition comprising a levothyroxine salt, wherein the composition exhibits a levothyroxine (T4) plasma Cmax of between from about 10 µg/dl to about 20 µg/dl as determined by the standard Cmax test.
- 53. The composition of claim 52, wherein the composition exhibits a levothyroxine (T4) plasma Cmax of between from about 12 μ g/dl to about 16 μ g/dl as determined by the standard Cmax test.
- 54. The composition of claims 52-53, wherein the ln(Cmax) of the levothyroxine (T4) plasma level is between from about 1 to about 3.
- 55. The composition of claims 53, where in the ln(Cmax) of the levothyroxine (T4) plasma level is between from about 1 to about 3.
- 56. An immediate release pharmaceutical composition comprising a levothyroxine salt, wherein the composition exhibits a levothyroxine (T4) plasma Tmax of between from about 0.5 hours to about 5 hours as determined by a standard Tmax test.
- 57. The composition of claim 56, wherein the composition exhibits a levothyroxine (T4) plasma Tmax of between from about 1 hour to about 3 hours as determined by the standard Tmax test.
- 58. An immediate release pharmaceutical composition comprising of a levothyroxine salt, wherein the composition exhibits a triiodothyronine (T3) plasma Tmax of between from about 10 hours to about 20 hours as determined by the standard Tmax test.
- 59. The composition of claim 58, wherein the composition exhibits a triiodothyronine (T3) plasma Tmax of between from about 12 hours to about 16 ours as determined by the standard Tmax test.

- 60. A stabilized solid pharmaceutical composition comprising a levothyroxine salt and a pharmaceutically acceptable carrier, wherein at least about 85% of the levothyroxine dissolves it aqueous solution in less than about 20 minutes as determined by a standard dissolution test.
- 61. The composition of claim 60, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 62. The composition of claims 60, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 5 minutes as determined by the standard dissolution test.
- 63. A non-granulated sugar-free, starch-free stabilized pharmaceutical composition comprising levothyroxine and a pharmaceutically acceptable carrier, in tablet form.
- 64. A non-granulated sugar-free, starch-free immediate release pharmaceutical composition comprising levothyroxine and a pharmaceutically acceptable carrier, in tablet form.
- 65. A method of administering a levothyroxine pharmaceutical composition to a patient, comprising placing a stabilized levothyroxine pharmaceutical tablet in an aqueous medium, dispersing the levothyroxine composition in the aqueous medium for less than ten minutes, and administering the aqueous medium to the patient.
- 66. The method of claim 65, wherein the aqueous medium is selected from water, saline, soft drinks and milk.
- 67. The method of claim 65, wherein the dispersion step is conducted for less than five minutes.
- 68. A stabilized pharmaceutical composition comprising a levothyroxine salt, wherein the composition features a triiodothyronine (T3) AUC (0-t) of between from about 10 ng-hour/ml to about 100 ng-hour/ml

- 69. The composition of claim 68, wherein the composition features a triiodothyronine (T3) AUC (0-t) of between from about 20 ng-hour/ml to about 60 ng-hour/ml.
- 70. A stabilized pharmaceutical composition comprising a levothyroxine salt, wherein the composition features a triiodothyronine (T3) AUC (0-t) of between from about 10 ng-hour/m1 to about 100 ng-hour/mI.
- 71. The composition of claim 70, wherein the composition features a triiodothyronine (T3) AUC (0-t) of between from about 20 ng-hour/ml to about 60 ng-hour/ ml.
- 72. A stabilized pharmaceutical composition comprising a levothyroxine salt, wherein the composition exhibits a levothyroxine (T4) plasma Cmax of between from about 10 μ g/dl to about 20 μ g/dl as determined by a standard Cmax test.
- 73. The composition of claim 72, wherein the composition exhibits a levothyroxine (T4) plasma Cmax of between from about 12 μ g/dl to about 16 μ g/dl as determined by the standard Cmax test.
- 73. A stabilized pharmaceutical composition comprising a levothyroxine salt, wherein the composition exhibits a levothyroxine (T4) plasma Tmax of between from about 0.5 hours to about 5 hours as determined by a standard Tmax test.
- 74. The composition of claim 73, wherein the composition exhibits a levothyroxine (T4) plasma Tmax of between from about 1 hour to about 3 hours as determined by the standard Tmax test.
- 75. A stabilized pharmaceutical composition comprising a levothyroxine salt, wherein the composition exhibits a triiodothyronine (T3) plasma Tmax of between from about 10 hours to about 20 hours as determined by the standard Tmax test.
- 76. The composition of claim 75, wherein the composition exhibits a triiodothyronine (T3) plasma Tmax of between from about 12 hours to about 16 hours as determined by the standard Tmax test.

- 77. An immediate release solid pharmaceutical composition comprising a levothyroxine salt, wherein the composition is essentially sugar free.
- 78. A stabilized solid pharmaceutical composition comprising a levothyroxine salt, wherein the composition is essentially sugar free.
- 79. An immediate release solid pharmaceutical composition comprising a levothyroxine salt, wherein the composition is essentially non-granular.
- 80. A stabilized solid pharmaceutical composition comprising a levothyroxine salt, wherein the composition is essentially non-granular.
- 81. An immediate release pharmaceutical composition comprising a levothyroxine salt, wherein the tablet is configured to increase heat transfer away from the tablet.
- 82. The composition of claim 81, wherein the tablet has a surface area of between from about 0.9 in.² to about 0.15 in.².
- 83. The composition of claims 81, wherein the tablet is beveled.
- 84. The composition of claims 81, wherein the tablet has a raised violin configuration.
- 85. The composition of claims 81-84, wherein the tablet further comprises a score line.
- 86. A stabilized solid pharmaceutical composition comprising a levothyroxine salt, wherein the tablet is configured to increase heat transfer away from the tablet.
- 87. The composition of claim 86, wherein the tablet has a surface area of between from about 0.9 in.² to about 0.15 in.².
- 888. The composition of claims 86, wherein the tablet is beveled.
- 89. The composition of claim 86, wherein the tablet further comprises a score line.

- 90. The composition of claims 86, wherein the tablet has a raised violin configuration.
- 91. An immediate release solid pharmaceutical composition comprising a levothyroxine salt, wherein the composition features less than about 10% total impurities as determined by a standard impurity test.
- 92. The composition of claim 91, wherein the composition features less than about 5% total impurities as determined by the standard impurity test.
- 93. A stabilized solid pharmaceutical composition comprising a levothyroxine salt, wherein the composition features less than about 10% total impurities as determined by a standard impurity test.
- 94. The composition of claim 93, wherein the composition features less than about 5% total impurities as determined by the standard impurity test.
- 95. An immediate release pharmaceutical aqueous liquid comprising a levothyroxine salt.
- 96. The liquid of claim 95, wherein the solution is adapted for child or infant use.
- 97. A method of making an immediate release pharmaceutical composition comprising a levothyroxine salt, the method comprising
- a) mixing a levothyroxine salt with microcrystalline cellulose and a croscarmellose salt to make a blend; and
- b) compressing the blend in a ratio of initial volume to final volume of between from about 2:1 to about 5:1 to make the composition.
- 98. The method of claim 97, wherein the ratio of initial volume to final volume is about 4:1.
- 99. A method of making a stabilized pharmaceutical composition comprising a levothyroxine salt, the method comprising
- a) mixing a levothyroxine salt with microcrystalline cellulose and a crosscannellose salt to make a blend; and

- b) compressing the blend in a ratio of initial volume to final volume of between from about 2:1 to about 5:1 to make the composition.
- 100. The method of claim 99, wherein the ratio of initial volume to final volume is about 4:1.
- 101. A stabilized pharmaceutical composition in solid dosage form comprised of a levothyroxine salt and a disintegrating agent.
- 102. A composition of claim 101, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.
- 103. A composition of claim 101, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 104. A composition of claims 1-3, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 18 months.
- 105. A composition of claim 1-3, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 18 months.
- 106. A composition of claims 1-3, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 24 months.
- 107. A composition of claim 1-3, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 24 months.

- 108. A stabilized pharmaceutical composition in solid dosage form comprised of a levothyroxine salt and having less than about 10% total impurities as determined by a standard USP impurity test.
- 109. A composition of claim 108, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.
- 110. A composition of claim 108, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 111. A composition of claims 108-110, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 18 months.
- 112. A composition of claim 108-110, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 18 months.
- 113. A composition of claims 108-110, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 24 months.
- 114. A composition of claim 108-110, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 24 months.
- 115. A stabilized, sugar-free pharmaceutical composition comprised of a levothyroxine salt.
- 116. A composition of claim 115, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.

- 117. A composition of claim 115, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 118. A composition of claims 115-117, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 18 months.
- 119. A composition of claim 115-117, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 18 months.
- 120. A composition of claims 115-117, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 24 months.
- 121. A composition of claim 115-117, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 24 months.
- 122. A stabilized, starch-free pharmaceutical composition comprised of a levothyroxine salt.
- 123. A composition of claim 122, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.
- 124. A composition of claim 122, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 125. A composition of claims 122-124, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 18 months.

- 126. A composition of claim 122-124, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test. for at least about 18 months
- 127. A composition of claims 122-124, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 24 months.
- 128. A composition of claim 122-124, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test. for at least about 24 months
- 129. A stabilized pharmaceutical composition in solid dosage form comprised of a levothyroxine salt and a stabilizing agent.
- 130. A composition of claim 129, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.
- 131. A composition of claim 129, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 132. A composition of claims 129-131, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 18 months.
- 133. A composition of claim 129-131, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 18 months.
- 134. A composition of claims 129-131, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 24 months.

- 135. A composition of claim 129-131, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 24 months.
- 136. A stabilized, immediate release pharmaceutical composition comprised of a levothyroxine salt.
- 137. A composition of claim 136, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.
- 138. A composition of claim 136, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 139. A composition of claims 136-138, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 18 months.
- 140. A composition of claim 136-138, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 18 months.
- 141. A composition of claims 136-138, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 24 months.
- 142. A composition of claim 136-138, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 24 months.
- 143. A stabilized, non-granulated pharmaceutical composition comprised of a levothyroxine salt.

- 144. A composition of claim 143, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.
- 145. A composition of claim 143, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 146. A composition of claims 143-145, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 18 months.
- 147. A composition of claim 143-145, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 18 months.
- 148. A composition of claims 143-145, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 24 months.
- 149. A composition of claim 143-145, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 24 months.
- 150. A composition of claims 143-149, wherein the composition is formulated as a tablet.
- 151. A stabilized, non-granulated pharmaceutical composition comprised of a levothyroxine salt.
- 152. A composition of claim 151, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.

- 153. A composition of claim 151, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 154. A composition of claims 151-153, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 18 months.
- 155. A composition of claim 151-153, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 18 months.
- 156. A composition of claims 151-153, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 24 months.
- 157. A composition of claim 151-153, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 24 months.
- 158. An immediate release pharmaceutical composition comprising a levothyroxine salt.
- 159. The composition of claim 158, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 30 minutes as determined by a standard dissolution test.
- 160. The composition of claim 158 wherein at least about 85% of the levothyroxine dissolves in aqueous solution by about 10 to about 15 minutes as determined by the standard dissolution test.
- 161. The composition of claim 159, wherein at least about 85% of the levothyroxine dissolves in aqueous solution by about 10 to about 15 minutes as determined by the standard dissolution test.

- 162. A method of making an immediate release pharmaceutical composition comprising a levothyroxine sale, the method comprising:
- a) mixing a levothyroxine salt with microcrystalline cellulose and a croscarmellose salt to make a blend; and
- b) compressing the blend in a ratio of initial volume to final volume of between from about 2:1 to about 5:1 to make the composition.
- 163. The method of claim 162, wherein the ratio of initial volume to final volume is about 4:1.
- 164. The method of claim 162, wherein the composition features less than about 5% total impurities as determined by the standard impurity test.
- 165. The method of claim 162, wherein the method further comprises forming a tablet.
- 166. The method of claim 165, wherein the tablet has a raised violin configuration.
- 167. A method of making a stabilized pharmaceutical composition comprising a levothyroxine salt, the method comprising:
- a) mixing a levothyroxine salt with microcrystalline cellulose and a croscarmellose salt to make a blend; and
- b) compressing the blend in a ratio of initial volume to final volume of between from about 2:1 to about 5:1 to make the composition.
- 168. The method of claim 167, wherein the ratio of initial volume to final volume is about 4:1.
- 169. The method of claim 167, wherein the composition features less than about 5% total impurities as determined by the standard impurity test.
- 170. The method of claim 167, wherein the method further comprises forming a tablet.
- 171. The method of claim 170, wherein the tablet has a raised violin configuration.

- 172. A method of preparing a stabilized, immediate release pharmaceutical composition comprising:
- (a) forming a blend by blending the levothyroxine and a microcrystalline cellulose, and
- (b) forming therefrom a solid dosage, wherein the levothyroxine is stabilized and wherefrom the levothyroxine is immediate released.
- 173. The method of claim 172, wherein the solid dosage is formed by compressing the blend in a tableting machine.
- 174. The method of claim 172, wherein the blend is compressed in a ratio of initial volume to final volume of 3.3:1 to 4.0:1.
- 175. The method of claim 172, wherein the levothyroxine is levothyroxine sodium.
- 176. The method of claim 172, wherein the stabilized, immediate release pharmaceutical composition further includes liothyronine.
- 177. The method of claim 176, wherein the liothyronine is liothyronine sodium.
- A stabilized pharmaceutical composition comprising levothyroxine, wherein the composition exhibits a levothyroxine (T4) plasma Cmax of between from about 10 μ g/dl to about 20 μ g/dl as determined by a standard Cmax test.
- 179. The composition of claim 178, wherein the composition exhibits a levothyroxine (T4) plasma Cmax of between from about 12 μg/dl to about 16 μg/dl as determined by the standard Cmax test.
- 180. The composition of claim 178, wherein the In(Cmax) of the levothyroxine (T4) plasma level is between from about 1 to about 3.
- 181. The composition of claim 179, wherein the In(Cmax) of the levothyroxine (T4) plasma level is between from about 1 to about 3.

- 182. A stabilized pharmaceutical composition comprising levothyroxine, wherein the composition exhibits a triiodothyronine (T3) plasma Tmax of between from about 10 hours to about 20 hours as determined by the standard Tmax test.
- 183. The composition of claim 182, wherein the composition exhibits a triiodothyronine (T3) plasma Tmax of between from about 12 hours to about 16 hours as determined by the standard Tmax test.
- 184. A stabilized immediate release pharmaceutical composition comprising levothyroxine, wherein the composition exhibits a levothyroxine (T4) plasma Tmax of between from about 0.5 hours to about 5 hours as determined by a standard Tmax test.
- 185. The composition of claim 185, wherein the composition exhibits a levothyroxine (T4) plasma Tmax of between from about 1 hour to about 3 hours as determined by the standard Tmax test.
- 186. A pharmaceutical composition, comprising the product of dissolution of a preparation comprising levothyroxine, cross-linked sodium carboxymethylcellulose, and β-form microcrystalline cellulose, in an aqueous medium.
- 187. An immediate release pharmaceutical composition comprising levothyroxine, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.
- 188. The composition of claim 187, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 189. A stabilized pharmaceutical composition comprising levothyroxine, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.

- 190. The composition of claim 189, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 191. An immediate release pharmaceutical composition comprising levothyroxine, wherein the composition is essentially sugar free.
- 192. A stabilized pharmaceutical composition comprising levothyroxine, wherein the composition is essentially sugar free.
- 193. An immediate release pharmaceutical composition comprising levothyroxine, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 18 months.
- 194. The composition of claim 193, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 18 months.
- 195. An immediate release pharmaceutical composition comprising levothyroxine, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 24 months.
- 196. The composition of claim 195, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by the standard potency test for at least about 24 months.
- 197. A stabilized pharmaceutical composition comprising levothyroxine, wherein the composition has a post-packaging potency of between from about 95% to about 120% as determined by a standard potency test for at least about 18 months.
- 198. The composition of claim 197, wherein the composition has a post-packaging potency of between from about 98% to about 110% as determined by a standard potency test for at least about 18 months.

199. A method of treating a human with an immediate release pharmaceutical composition in tablet form comprising levothyroxine for reduced or absent thyroid function, said method comprising:

administering to the human an effective number of the immediate release pharmaceutical levothyroxine tablets a selected number of times daily to treat reduced or absent thyroid function.

- 200. The method according to claim 199, wherein said reduced or absent thyroid function is caused by an etiology selected from the group consisting of myxedema, cretinism and obesity.
- 201. A method of treating a human with a stabilized, immediate release pharmaceutical composition in tablet form comprising levothyroxine for reduced or absent thyroid function, said method comprising:

administering to the human an effective number of the stabilized, immediate release pharmaceutical levothyroxine tablets a selected number of times daily to treat reduced or absent thyroid function.

- 202. The method according to claim 201, wherein said reduced or absent thyroid function is caused by an etiology selected from the group consisting of myxedema, cretinism and obesity.
- 203. A method of treating a human with an effective amount of an immediate release pharmaceutical composition in tablet form comprising levothyroxine for a thyroid indication selected from the group consisting of replacement or supplemental therapy in hypothyroidism, suppression of pituitary TSH secretion, prevention of euthyroid goiters and adjunctive therapy in the management of thyrotropin-dependent well-differentiated thyroid cancer, said method comprising:

administering to the human an effective number of the immediate release pharmaceutical levothyroxine tablets a selected number of times daily to treat said thyroid indication.

204. A method of treating a human with an effective amount of a stabilized, immediate release pharmaceutical composition in tablet form comprising levothyroxine for a thyroid

indication selected from the group consisting of replacement or supplemental therapy in hypothyroidism, suppression of pituitary TSH secretion, prevention of euthyroid goiters and adjunctive therapy in the management of thyrotropin-dependent well-differentiated thyroid cancer, said method comprising:

administering to the human an effective number of the stabilized, immediate release pharmaceutical levothyroxine tablets a selected number of times daily to treat said thyroid indication.

- 205. A pharmaceutical composition comprising a levothyroxine salt and a pharmaceutically acceptable carrier, wherein the pharmaceutical composition exhibits a levothyroxine (T4) plasma Cmax of between from about 10 μg/dl to about 20 gg/dl as determined by a standard Cmax test.
- 206. The composition of claim 205, wherein the composition exhibits a levothyroxine (T4) plasma Cmax of between from about 12 μ g/dl to about 16 μ g/dl as determined by the standard Cmax test.
- 207. The composition of claim 205, wherein the ln(Cmax) of the levothyroxine (T4) plasma level is between from about 1 to about 3.
- 208. The composition of claim 206, wherein the ln(Cmax) of the levothyroxine (T4) plasma level is between from about 1 to about 3.
- 209. The composition of claim 205, wherein the composition exhibits a triiodothyronine (T3) plasma Cmax of between from about 0.1 ng/m1 to about l0ng/m1 as determined by the standard Cmax test.
- 210. The composition of claim 205, wherein the composition exhibits a triiodothyronine (T3) plasma Cmax of between from about 0.5 ng/m1 to about 2ng/ml as determined by the standard Cmax test.
- 211. The composition of claim 205, wherein the ln(Cmax) is between from about 0.01 to about 5.

- 212. The composition of claim 205, wherein the composition exhibits a levothyroxine (T4) plasma Tmax of between from about 0.5 hours to about 5 hours as determined by a standard Tmax test.
- 213. The composition of claim 205, wherein the composition exhibits a levothyroxine (T4) plasma Tmax of between from about 1 hour to about 3 hours as determined by the standard Tmax test.
- 214. The composition of claim 205, wherein the composition exhibits a triiodothyronine (T3) plasma Tmax of between from about 10 hours to about 20 hours as determined by the standard Tmax test.
- 215. The composition of claim 205, wherein the composition exhibits a triiodothyronine (T3) 10 plasma Tmax of between from about 12 hours to about 16 hours as determined by the standard Tmax test.
- 216. The composition of any of claims 205, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μg-hour/dl to about 600 μg-hour/dl.
- 217. The composition of any of claims 206, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μ g-hour/dl to about 600 μ g-hour/dl.
- 218. The composition of any of claims 207, wherein the composition features a levothyroxine 20 (T4) plasma AUC (0-t) of between from about 450 μg-hour/dl to about 600 μg-hour/dl.
- 219. The composition of any of claims 208, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μg-hour/dl to about 600 μg-hour/dl.
- 220. The composition of any of claims 209, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μ g-hour/dl to about 600 μ g-hour/dl.

- 221. the composition of any of claims 210, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μ g-hour/dl to about 600 μ g-hour/dl.
- 222. The composition of any of claims 211, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μ g-hour/dl to about 600 μ g-hour/dl.
- 223. The composition of any of claims 212, wherein the composition features a levothyroxine 5 (T4) plasma AUC (0-t) of between from about 450 μg-hour/dl to about 600 μg -hour/dl.
- 224. The composition of any of claims 213, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μ g-hour/dl to about 600 μ g-hour/dl.
- 225. The composition of any of claims 214, wherein the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μg -hour/dl to about 600 μg -hour/dl.
- 226. The composition of claim 215, wherein the composition features a levothyroxine (T4) AUC (0-t) of between from about 500 μg-hour/dl to about 550 μg -hour/dl.
- 227. The composition of claim 215, wherein the composition features a triiodothyronine (T3) 20 AUC (0-t) of between from about 10 ng-hour/m1 to about 100 ng-hour/m1.
- 228. The composition of claim 215, wherein the composition features a triiodothyronine (T3) AUC (0-t) of between from about 20 ng-hour/ml to about 60 ng-hour/ml.
- 229. A stabilized solid pharmaceutical composition comprising a levothyroxine salt and a pharmaceutically acceptable carrier, wherein the pharmaceutical composition loses less than about 0.7% of its activity per month for up to 18 months.

- 230. The composition of claim 229, wherein the pharmaceutical composition loses less than about 0.5% of its activity per month for up to 18 months.
- 231. The composition of claim 229, wherein the pharmaceutical composition loses less than about 0.3% of its activity per month for up to 18 months.
- 232. A stabilized solid pharmaceutical composition comprising a levothyroxine salt and a pharmaceutically acceptable carrier, wherein the pharmaceutical composition loses less than about 0.7% of its activity per month for up to 24 months.
- 233. The composition of claim 232, wherein the pharmaceutical composition loses less than about 0.5% of its activity per month for up to 24 months.
- 234. The composition of claim 232, wherein the pharmaceutical composition loses less than about 0.3% of its activity per month for up to 24 months.
- 235. A pharmaceutical composition in solid form comprising a pharmaceutically active ingredient and a β sheet form of microcrystalline cellulose.
- 236. The pharmaceutical composition of claim 235, wherein at least about 50 weight % of the composition weight is β sheet form of microcrystalline cellulose.
- 237. The pharmaceutical composition of claims 235-236, wherein the active ingredient is levothyroxine sodium.
- 238. A non-granulated sugar-free, starch-free pharmaceutical composition comprising levothyroxine and a pharmaceutically acceptable carrier, in tablet form.
- 239. The composition of claim 238, wherein the composition further comprises β sheet microcrystalline cellulose.
- 240. The composition of claim 239, wherein the β sheet microcrystalline cellulose has a bulk density of between from about 0.10 g/cm³ to about 0.35 g/cm³.

- 241. A method of administering a levothyroxine pharmaceutical composition to a patient, comprising placing an levothyroxine pharmaceutical tablet in an aqueous medium, dispersing the levothyroxine composition in the aqueous medium for less than ten minutes to disintegrate the levothyroxine pharmaceutical composition, and administering the aqueous medium to the patient.
- 242. The method of claim 241, wherein the aqueous medium is selected from water, saline, soft drinks and milk.
- 243. The method of claim 242, wherein the dispersion step is conducted for less than five minutes.
- 244. A stabilized solid pharmaceutical composition comprising a levothyroxine salt and a pharmaceutically acceptable carrier, wherein at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.
- 245. The composition of claim 244, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- The composition of claims 245, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 5 minutes as determined by the standard dissolution test.
- 247. A stabilized solid pharmaceutical composition comprising a levothyroxine salt, a cellulose and a pharmaceutically acceptable carrier, wherein the levothyroxine is not absorbed onto the cellulose and at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.
- 248. A composition of claim 247, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.

- 249. A composition of claims 247, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 5 minutes as determined by the standard dissolution test.
- 250. A composition of claims 247, wherein the cellulose is β sheet microcrystalline cellulose.
- 251. An immediate released solid pharmaceutical composition comprising a levothyroxine, a cellulose and a pharmaceutically acceptable carrier, wherein the levothyroxine is not absorbed onto the cellulose and the pharmaceutical composition loses less than about 0.7% of its activity per month for up to about 18 months.
- 252. A pharmaceutical composition of claim 251, wherein the pharmaceutical composition loses less than 0.7% of its activity per month for up to 18 months.
- 253. A pharmaceutical composition of claim 252, wherein the pharmaceutical composition loses less than about 0.5% of its activity per month for up to about 18 months.
- 254. A pharmaceutical composition of claim 253, wherein the pharmaceutical composition loses less than 0.3% of its activity per month for up to about 18 months.
- 255. A pharmaceutical composition of claims 251-254, wherein the cellulose is a β sheet microcrystalline cellulose.
- 256. An immediate released solid pharmaceutical composition comprising a levothyroxine, a cellulose and a pharmaceutically acceptable carrier, wherein the levothyroxine is not absorbed onto the cellulose and the pharmaceutical composition loses less than about 0.7% of its activity per month for up to about 24 months.
- 257. A pharmaceutical composition of claim 251, wherein the pharmaceutical composition loses less than 0.7% of its activity per month for up to 24 months.
- 258. A pharmaceutical composition of claim 252, wherein the pharmaceutical composition loses less than about 0.5% of its activity per month for up to about 24 months.

- 259. A pharmaceutical composition of claim 253, wherein the pharmaceutical composition loses less than 0.3% of its activity per month for up to about 18 months.
- 260. A pharmaceutical composition of claims 256-259, wherein the cellulose is a β sheet microcrystalline cellulose.
- 261. A non-granulated, sugar-free, starch-free, stabilized pharmaceutical composition comprising levothyroxine, a cellulose and a pharmaceutically acceptable carrier, in tablet form, wherein the levothyroxine is not absorbed onto the cellulose.
- 262. A pharmaceutical composition of claim 261, wherein the cellulose is a β sheet microcrystalline cellulose.
- 263. A pharmaceutical composition of claims 261-262, wherein the β -sheet microcrystalline cellulose has a bulk density of between from about 0.10 g/cm³ to about 0.35 g/cm³.
- 264. The composition of claims 261-262, wherein the β sheet microcrystalline cellulose has a bulk density of between from about 0.15 g/cm³ to about 0.25 g/cm³.
- 265. A pharmaceutical composition of claims 261-264, wherein the β -sheet microcrystalline cellulose has a conductivity of less than about 200 pS/cm.
- 266. A pharmaceutical composition of claim 261-264, wherein the β -sheet microcrystalline cellulose has a conductivity of between from about 0.5 pS/cm. to 50 μ S/cm.
- 267. A pharmaceutical composition of claims 261-266, wherein tablet has a total hardness of between from about 6 KP to about 14 KP as determined by a standard hardness test.
- 268. A non-granulated, sugar-free, starch-free, immediate release pharmaceutical composition comprising levothyroxine, a cellulose and a pharmaceutically acceptable carrier, in tablet form, wherein the levothyroxine is not absorbed onto the cellulose.

- 269. A composition of claim 268, wherein the composition the cellulose is a β sheet microcrystalline cellulose.
- 270. A composition of claims 268-269, wherein the β sheet microcrystalline cellulose has a bulk density of between from about 0.10 g/ cm³ to about 0.35 g/ cm³.
- 271. A composition of claims 268-269, wherein the β sheet microcrystalline cellulose has a bulk density of between from about 0.15 g/cm³ to about 0.25 g/cm³.
- 272. A composition of claim 268-271, wherein the β sheet microcrystalline cellulose has a conductivity of less than about 200 μ S/cm.
- 273. A composition of claim 268-271, wherein the microcrystalline β sheet microcrystalline cellulose has a conductivity of between from about 0.5 μ S/cm to 50 μ S/cm.
- 274. An immediate release solid pharmaceutical composition comprising a levothyroxine salt and a cellulose, wherein the composition is essentially sugar free and the levothyroxine is not absorbed onto the cellulose.
- 275. A stabilized solid pharmaceutical composition comprising a levothyroxine salt and a cellulose, wherein the composition is essentially sugar free and the levothyroxine is not absorbed onto the cellulose.
- 276. An immediate release solid pharmaceutical composition comprising a levothyroxine salt and a cellulose, wherein the composition is essentially non-granular and the levothyroxine is not absorbed onto the cellulose.
- 277. A stabilized solid pharmaceutical composition comprising a levothyroxine salt and a cellulose, wherein the composition is essentially non-granular and the levothyroxine is not absorbed onto the cellulose.

- 278. An immediate release pharmaceutical composition comprising a levothyroxine salt and a cellulose, wherein the composition is formulated as a tablet and the levothyroxine is not absorbed onto the cellulose.
- 279. The composition of claim 278, wherein the tablet has a total hardness of between from about I to about 30 KP as determined by a standard hardness test and the levothyroxine is not absorbed onto the cellulose.
- 280. The composition of claim 279, wherein tablet has a total hardness of between from about 5 to about 15 KP as determined by a standard hardness test and the levothyroxine is not absorbed onto the cellulose.
- 281. An immediate release solid pharmaceutical composition comprising a levothyroxine salt and a cellulose, wherein the composition is formulated as a tablet and the levothyroxine is not absorbed onto the cellulose.
- 282. The composition of claim 281, wherein the tablet has a total hardness of between from about 1 to about 30 KP as determined by a standard hardness test.
- 283. A stabilized solid pharmaceutical composition comprising a levothyroxine salt and a pharmaceutically acceptable carrier, wherein the pharmaceutical composition is substantially free of adsorbed levothyroxine and at least about 85% of the levothyroxine dissolves in aqueous solution in less than about 20 minutes as determined by a standard dissolution test.
- 284. A composition of claim 283, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 15 minutes as determined by the standard dissolution test.
- 285. A composition of claims 283, wherein at least about 80% of the levothyroxine dissolves in aqueous solution by about 5 minutes as determined by the standard dissolution test.
- 286. A composition of claims 283, wherein the compisiton further includes a microcrystalline β -cellulose.

- 287. A composition of claim 286, wherein the microcrystalline β -cellulose. has a bulk density of between from about 0.10 g/cm³ to about 0.35 g/cm³.
- 288. A composition of claim 286, wherein the microcrystalline β -cellulose has a conductivity of less than about 200 μ S/cm.
- 289. A composition of claims 286, wherein the microcrystalline β -cellulose. has a conductivity of between from about 0.5 μ S/cm. to 50 μ S/cm.
- 290. A composition of claims 286, wherein the composition further comprises a pharmaceutically acceptable crosscarmellose salt.
- 291. A composition of claims 283, wherein the ln[AUC(0-t)] is between from about 1 to about 5.
- 292. A composition of claims 283, wherein the composition is essentially free of a sugar.
- 293. A composition of claims 283 wherein the composition is essentially starch free.
- 294. A composition of claims 283, wherein the composition is a non-granulated composition.
- 295. A composition of claims 283, wherein the composition is an immediate release composition.
- 296. A composition of claims 283, wherein the composition is formulated as a tablet.
- 297. A composition of claim 296, wherein the tablet has a total hardness of between from about 6 to about 14 KP as determined by a standard hardness test.
- 298. A composition of claims 296, wherein the tablet is beveled.
- 299. A composition of claims 297, wherein the tablet contains a score line.
- 300. A composition of claims 297, wherein the tablet has a raised violin configuration

- 301. An immediate released solid pharmaceutical composition comprising a levothyroxine and a pharmaceutically acceptable carrier, wherein the composition is substantially free of adsorbed levothyroxine and the pharmaceutical composition loses less than about 0.7% of its activity per month for up to about 18 months.
- 302. A pharmaceutical composition of claim 301, wherein the pharmaceutical composition loses less than 0.7% of its activity per month for up to 18 months.
- 303. A pharmaceutical composition of claim 301, wherein the pharmaceutical composition loses less than about 0.5% of its activity per month for up to about 18 months.
- 304. A pharmaceutical composition of claim 301, wherein the pharmaceutical composition loses less than 0.3% of its activity per month for up to about 18 months.
- 305. A pharmaceutical composition of claims 301-304, wherein the composition further includes a β-sheet form of microcrystalline cellulose.
- 306. A pharmaceutical composition of claim 305, wherein at least about 50 weight % of the composition weight is a β -sheet form of microcrystalline cellulose.
- 307. An immediate released solid pharmaceutical composition comprising a levothyroxine and a pharmaceutically acceptable carrier, wherein the composition is substantially free of adsorbed levothyroxine and the pharmaceutical composition loses less than about 0.7% of its activity per month for up to about 24 months.
- 308. A pharmaceutical composition of claim 307, wherein the pharmaceutical composition loses less than 0.7% of its activity per month for up to 24 months.
- 309. A pharmaceutical composition of claim 307, wherein the pharmaceutical composition loses less than about 0.5% of its activity per month for up to about 24 months.
- 310. A pharmaceutical composition of claim 307, wherein the pharmaceutical composition loses less than 0.3% of its activity per month for up to about 24 months.

- 311. A pharmaceutical composition of claims 307-310, wherein the composition further includes a β -sheet form of microcrystalline cellulose.
- 312. A pharmaceutical composition of claim 311, wherein at least about 50 weight % of the composition weight is a β -sheet form of microcrystalline cellulose.
- 313. A stabilized pharmaceutical composition comprising a levothyroxine, wherein the the composition is substantially free of adsorbed levothyroxine and the composition features a levothyroxine (T4) plasma AUC (0-t) of between from about 450 μ g-hour/dl to about 600 μ g-hour/dl.
- 314. A stabilized composition of claim 313, wherein the composition features a levothyroxine (T4) AUC (0-t) of between from about 500 μ g-hour/dl to about 550 μ g-hour/dl.
- 315. A stabilized composition of claim 313, wherein the ln[AUC(0-t)] is between from about 1 to about 10.
- 316. A stabilized composition of claims 315, wherein the ln[AUC(0-t)] is between from about 1 to about 10.
- 317. A non-granulated, sugar-free, starch-free, immediate release pharmaceutical composition comprising levothyroxine and a pharmaceutically acceptable carrier, in tablet form, wherein the composition is substantially free of adsorbed levothyroxine.

Adenosine and Myocardial Protection




FIG. I




FIG. 2




FIG. 3




FIG.4

Adenosine and Myocardial Protection




FIG. 5